

# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73 1898

**Galen's**  
**Flora of**  
**Lancaster**  
**County**  
**Penna.**

LIBRARY  
RECEIVED

JUL 24 1923

U. S. Department of Agriculture

1898. ~~1898~~

Copy Postpaid for 5 Cents

**A** DISCOUNT of 25 per cent will be given on orders for 500, 1000, 5000, or more ; the same discount allowed for half those amounts. Orders amounting to \$5 will be allowed the same discount.

Prices in the list for shrubs and trees are for those from 1 to 4 feet in length ; higher rates for larger sizes.

Herbarium Specimens furnished to order for \$3 per 100, \$20 per 1000, 50 cents per dozen, post-paid, dated, and selected true to name.

Seeds carefully collected by the ounce, pound and bushel.

Seeds and Herbarium Specimens exchanged.

**TERMS.**

All bills will be due on receipt of the plants, unless by special agreement.

Plants, etc., are packed in damp moss.

**ADDRESS**

**JAMES GALEN,**

BETHESDA, LANCASTER COUNTY, PA., U. S. A.

Cable and Express Office, McCall's Ferry, Pa.

If this list cannot serve you, please hand to your neighbor.



## ERRATUM.

No. 36, page 1, should read : *Nymphæa*, instead of "Nympæa."

## ADDENDA.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
22½ <i>Anemonella thalictroides</i> , Spach. . . . .	10	30	2 50
54½ <i>Nasturtium officinale</i> , R. Br. .	20	50	
551½ <i>Spiræa betulæfolia</i> , Pall, var. corymbosa, Watson.			
298½ <i>Myriophyllum verticillatum</i> , L.			
421½ <i>Solidago macrophylla</i> , Pursh.	25	75	
422½ <i>Boltonia diffusa</i> , L'Her. . . .	25	75	
532½ <i>Leontodon autumnalis</i> , L. . . .			
328½ <i>Zizia aurea</i> , Koch, . . . . .	25	75	
692½ <i>Ruellia strepens</i> , L. . . . .	25	75	5 00
577½ <i>Lysimachia numularia</i> , L. . . .	20	50	3 00
636½ <i>Linaria Elatine</i> , Mill. . . . .			
989½ <i>Cyperus speciosus</i> , Vahl. . . .	20	50	
1102½ <i>Panicum laxiflorum</i> , Lam. . . .			
1103½ . . . . . <i>commutatum</i> , Schult.			
1104½ . . . . . <i>viscidum</i> , Ell. . . . .			
1169½ <i>Eragrostis Purshii</i> , Sch. . . . .			
1187½ <i>Festuca ovina</i> , L. . . . .			
1216½ <i>Asplenium Bradleyi</i> , D.C.Eat'n.	50		
1225½ <i>Aspidium cristatum</i> , Swts., var. Clintonianum, Eat'n	25	75	
75½ <i>Viola pedatifida</i> , G. Don. . . .	20	50	3 00

## A FAVOR ASKED:

**Don't Cut this Catalogue. Order  
by the Name and Number.**

If you have no use for this catalogue, or should you receive more than one copy, we would esteem it a great favor if you would hand or send them to friends.

# GALEN'S PRICE LIST

## OF THE

### FLORA OF LANCASTER COUNTY, PENNSYLVANIA.

1898.

#### Ranunculaceæ.

Order by Name or Number.	Price Per 10	Fer 100	Per 1000
1 Clematis Virginiana, L. . . . .	\$ 25	\$ 50	\$2 50
2       verticillaris, DC. . . . .	50		
3 Anemone Pennsylvanica, L. . . . .	30	60	
4       Virginiana . . . . .	25	50	2 00
5       nemorosa, L. . . . .	15	40	1 50
6 Hepatica triloba, Chaix . . . . .	15	40	1 50
7 Delphinium Consolida, L. . . . .			
8 Thalictrum purpurescens, L. . . . .	25	60	2 50
9       polygamum, Muhl. . . . .	25	60	2 50
10       dioicum, L. . . . .	20	40	1 50
11 Ranunculus septentrionalis, Poir			
12       ambigens, Watson			
13       abortivus, L. . . . .			
14       recurvatus, Poir . . . . .			
15       repens, L. . . . .			
16       bulbosus, L. . . . .			
17       aquatilis, L., var. tri-			
chophyllus, Gray.			
18       Flamula, L., var.			
reptans, E. Meyer			
19       sceleratus, L. . . . .			
20       Pennsylvanicus, L. f			
21       fascicularis, Muhl . . . . .			
22 Caltha palustris, L. . . . .	30	60	
23 Aquilegia Canadensis, L. . . . .	20	40	1 50
24 Hydrastis Canadensis, L. . . . .	20	40	1 50
25 Actæa alba, Bigel . . . . .	30	75	
26 Cimicifuga racemosa, Nutt . . . . .	25	50	2 50

#### Magnoliaceæ.

27 Magnolia glauca, L. . . . .	50	3 00	
28       Umbrella, Lam . . . . .	30	1 50	
29 Liriodendron Tulipifera, L. . . . .	25	50	3 00

#### Anonaceæ.

50 Asimina triloba, Dunal . . . . .	25	60	3 50
-------------------------------------	----	----	------

#### Menispermaceæ.

31 Menispermum Canadense, L. . . . .	25	50	3 00
--------------------------------------	----	----	------

#### Berberidaceæ.

32 Berberis vulgaris, L. . . . .	50	4 00	
33 Caulophyllum thalictroides, Mx.	25	50	3 00
34 Podophyllum peltatum, L. . . . .	15	40	1 50

#### Nymphaeaceæ.

35 Brasenia peltata, Pursh. . . . .	25	60	3 50
36 Nymphaea odorata, Ait. . . . .	30	75	4 00
37 Nuphar Kalmianum, Ait . . . . .	30	75	4 00
38       advena, Ait, f . . . . .	30	75	4 00

#### Papaveraceæ.

39 Papaver somniferum, L. . . . .			
40       dubium, L. . . . .			
41 Argemone Mexicana, L. . . . .			
42 Chelidonium majus, L. . . . .			
43 Sanguinaria Canadensis, L. . . . .	15	35	1 50

#### Sarraceniacæ.

44 Sarracenia purpurea, L. . . . .			
------------------------------------	--	--	--

#### Fumariaceæ.

45 Adlumia cirrhosa, Raf. . . . .	25	60	
46 Dicentra Cucullaria, DC. . . . .	15	35	1 50

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
47	Dicentra Canadensis, DC. . . . .	15	35	1 50
48	Corydalis glauca, Pursh . . . . .			
49	flavula, DC. . . . .			
50	aurea, Willd . . . . .			
51	Fumaria officinalis, L. . . . .			

**Crucifereæ.**

52	Nasturtium palustre, DC. . . . .			
53	Var. hispidum, Gray . . . . .			
54	Armoracia, Fries. . . . .	25	50	3 00
55	Dentaria laciniata, Muhl. . . . .	15	30	1 50
56	diphylla, L. . . . .	40		
57	Cardamine hirsuta, L. . . . .			
58	rhomboidea, DC. . . . .	15	30	1 50
59	Arabis lyrata, L. . . . .			
60	patens, Sulliv. . . . .			
61	lævigata, Poir. . . . .			
62	Canadensis, L. . . . .			
63	Barbarea vulgaris, R. Br. . . . .			
64	Erysimum cheiranthoides, L. . . . .			
65	Sisymbrium officinale, Scop. . . . .			
66	Thaliana, Gaud. . . . .			
67	Brassica Sinapistrum, Boiss. . . . .			
68	nigra, Koch. . . . .			
69	Draba Caroliniana, Walt. . . . .			
70	verna, L. . . . .			
71	Camelina sativa, Crantz. . . . .			
72	Capsella Bursa-pastoris, MO. . . . .			
	Möench . . . . .			
73	Lepidium Virginicum, L. . . . .			
74	campestre, Br. . . . .			

**Capparidaceæ.**

75	Polanisia, graveolens, Raf. . . . .			
----	-------------------------------------	--	--	--

**Violaceæ.**

76	Solea concolor, Ging. . . . .	23	50	2 50
77	Viola rotundifolia, Michx. . . . .			
78	primulæfolia, L. . . . .			
79	blanda, Willd. . . . .			
80	palmata, L. . . . .			
81	cucullata, Ait. . . . .			
82	sagittata, Ait. . . . .			
83	pedata, L. . . . .			
84	Var. bicolor, Pursh. . . . .			
85	canina, L., var. sylvestris, . . . . .			
	Regel. . . . .			
86	striata, Ait. . . . .			
87	pubescens, Ait. . . . .			
88	Var. scabriuscula, T. & G. . . . .			
89	tricolor, L., var. arven- . . . . .			
	sis, DC. . . . .			
89½	lanceolata, L. . . . .			

Violets collected for 20 cents  
per 100, \$1.50 per 1,000.

**Cistaceæ.**

90	Helianthemum Canadense, . . . . .			
	Michx. . . . .	20	50	2 00
91	Lechea racemulosa, Lam. . . . .	20	50	2 00
92	major, Michx. . . . .	20	50	2 00
93	minor, L. . . . .	15	40	1 50

**Caryophyllaceæ.**

94	Dianthus Armeria, L. . . . .			
95	Saponaria officinalis, L. . . . .	15	40	2 00
96	Vaccaria, L. . . . .			
97	Silene stellata, Ait. . . . .	25	50	2 50
98	nivea, Otth. . . . .	25	50	2 50
99	Pennsylvanica, Michx. . . . .	25	50	2 50
100	noctiflora, L. . . . .			
101	antirrhina, L. . . . .			
102	Armeria, L. . . . .			
103	Lychnis Githago, Lam. . . . .			
104	Arenaria Michauxii, Hook. f. . . . .	25	50	2 50
105	serpyllifolia, L. . . . .			
106	lateriflora, L. . . . .	25	50	2 50
107	Stellaria pubera, Michx. . . . .	20	40	1 50
108	media, Smith . . . . .			



Order by Name or Number.	Price Per 10	Per 100	Per 1000
109 <i>Stellaria longifolia</i> , Muhl. . . . .	20	40	1 50
110 <i>Holosteum umbellatum</i> , L. . . . .			
111 <i>Cerastium viscosum</i> , L. . . . .			
112 <i>vulgatum</i> , L. . . . .	20	40	1 50
113 <i>nutans</i> , Raf. . . . .			
114 <i>oblongifolium</i> , Torr. . . . .	20	40	1 50
115 <i>arvense</i> , L. . . . .	20	40	1 50
116 <i>Sagina apetala</i> , L. . . . .			
117 <i>Buda rubra</i> , Dumort. . . . .			

**Portulacaceæ.**

118 <i>Portulaca oleracea</i> , L. . . . .			
119 <i>Talinum teretifolium</i> , Pursh. . . . .	25	50	2 00
120 <i>Claytonia Virginica</i> , L. . . . .	20	40	2 00

**Hypericaceæ.**

121 <i>Ascyrum Crux-Andreæ</i> , L. . . . .	20	40	2 00
122 <i>Hypericum Ascyron</i> , L. . . . .	50	3 50	
123 <i>prolificum</i> , L. . . . .	25	60	5 00
124 <i>ellipticum</i> , Hook. . . . .	20	40	2 00
125 <i>perforatum</i> , L. . . . .	20	40	2 00
126 <i>maculatum</i> , Walt. . . . .	20	40	2 00
127 <i>mutilum</i> , L. . . . .			
128 <i>Canadense</i> , L. . . . .			
129 <i>nudicaule</i> , Walt. . . . .			
130 <i>Elodes campanulata</i> , Pursh. . . . .	20	40	2 00

**Malvaceæ.**

131 <i>Malva rotundifolia</i> , L. . . . .			
132 <i>sylvestris</i> , L. . . . .			
133 <i>crispa</i> , L. . . . .			
134 <i>Sida spinosa</i> , L. . . . .			
135 <i>Napæa</i> , Cav. . . . .	50	3 00	
136 <i>Hibiscus Moscheutos</i> , L. . . . .	50	3 00	
137 <i>militaris</i> , Cav. . . . .	50	3 00	
138 <i>Trionum</i> , L. . . . .			
139 <i>Syriacus</i> , L. . . . .			
140 <i>Abutilon Avicennæ</i> , Gærtn. . . . .			

**Tiliaceæ.**

141 <i>Tilia Americana</i> , L. . . . .	40	2 00	
---	----	------	--

**Linaceæ**

142 <i>Linum Virginianum</i> , L. . . . .			
143 <i>striatum</i> , Walt. . . . .			
144 <i>usitatissimum</i> , L. . . . .			

**Geraniaceæ.**

145 <i>Geranium maculatum</i> , L. . . . .	20	50	2 50
146 <i>Carolinianum</i> , L. . . . .			
147 <i>columbinum</i> , L. . . . .			
148 <i>dissectum</i> , L. . . . .			
149 <i>pusillum</i> , L. . . . .			
150 <i>molle</i> , L. . . . .			
151 <i>Erodium cicutarium</i> , L'Her. . . . .			
152 <i>Fœrkea proserpinacoides</i> , Willd. . . . .			
153 <i>Impatiens pallida</i> , Nutt. . . . .			
154 <i>fulva</i> , Nutt. . . . .			
155 <i>Oxalis violacea</i> , L. . . . .	20	40	2 00
156 <i>Acetosella</i> , L. . . . .	20	40	2 00
157 <i>stricta</i> , L. . . . .			

**Rutaceæ.**

158 <i>Xanthoxylum Americanum</i> , Mill. . . . .	50	3 00	
159 <i>Xanthoxylum Clava-Herculis</i> , L. . . . .	50		

**Simarubaceæ.**

160 <i>Ailanthus glandulosus</i> , Desf. . . . .	25	60	4 00
--	----	----	------

**Ilisineæ.**

161 <i>Ilex opaca</i> , Ait. . . . .	25	60	3 00
162 <i>verticillata</i> , Gray . . . . .	20	50	2 50
163 <i>lævigata</i> , Gray . . . . .	30	1 00	

**Celastraceæ.**

164 <i>Celastrus scandens</i> , L. . . . .	25	60	3 00
165 <i>Euonymus atropurpureus</i> , Jacq. . . . .	25	75	3 50
166 <i>Americanus</i> , L. . . . .	25	75	3 50

**Vitaceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
167 <i>Vitis Labrusca</i> , L. . . . .	25	75	3 50
168 <i>aestivalis</i> , Michx. . . . .	25	60	3 00
169 <i>cordifolia</i> , Michx. . . . .	30	1 00	
170 <i>riparia</i> , Michx. . . . .	30	1 00	
171 <i>Ampelopsis quinquefolia</i> , Michx. . . . .	2	20	50

**Sapendaceæ.**

172 <i>Staphylea trifolia</i> , L. . . . .	20	40	2 50
173 <i>Acer saccharinum</i> , Wang. . . . .	25	60	4 00
174 <i>dasycarpum</i> , Ehrh. . . . .	30	1 00	
175 <i>rubrum</i> , L. . . . .	25	50	3 00
176 <i>Negundo aceroides</i> , Moench. . . . .	30	1 00	

**Rhamnaceæ.**

177 <i>Ceanothus Americanus</i> , L. . . . .	25	75	3 50
--	----	----	------

**Polygalaceæ.**

178 <i>Polygala incarnata</i> , L. . . . .			
179 <i>sanguinea</i> , L. . . . .			
180 <i>Nuttallii</i> , Torr & Gray			
181 <i>cruciata</i> , L. . . . .			
182 <i>verticillata</i> , L. . . . .			
183 <i>ambigua</i> , Nutt. . . . .			
184 <i>paucifolia</i> , Willd. . . . .	30	1 00	
185 <i>Senega</i> , L. . . . .	30	1 00	

**Anacardiaceæ.**

186 <i>Rhus typhina</i> , L. . . . .	25	60	3 50
187 <i>glabra</i> , L. . . . .	25	60	3 50
188 <i>copallina</i> . . . . .	25	60	3 50
189 <i>venenata</i> , DC. . . . .	40	1 75	
190 <i>Toxicodendron</i> . . . . .	40	1 75	

**Leguminosæ.**

191 <i>Lupinus perennis</i> , L. . . . .		50	
192 <i>Crotalaria sagittalis</i> , L. . . . .			
193 <i>Trifolium arvense</i> , L. . . . .			
194 <i>pratense</i> , L. . . . .			
195 <i>repens</i> , L. . . . .	15	40	1 50
196 <i>agrarium</i> , L. . . . .			
197 <i>procumbens</i> , L. . . . .			
198 <i>Melilotus officinalis</i> , Willd. . . . .			
199 <i>alba</i> , Lam. . . . .			
200 <i>Medicago sativa</i> . . . . .			
201 <i>Robinia Pseudacacia</i> , L. . . . .	30	1 00	6 00
202 <i>Lespedeza procumbens</i> , Michx. . . . .	20	40	2 00
203 <i>reticulata</i> , Pers. . . . .	20	40	2 00
204 <i>Stuvei</i> , Nutt. . . . .	25	50	2 50
205 <i>Var. intermedia</i> ,			
<i>Watson</i> . . . . .	25	50	2 50
206 <i>angustifolia</i> , Ell. . . . .	20	40	2 00
207 <i>violacea</i> , Pers. . . . .	20	40	2 00
208 <i>polystachya</i> , Michx. . . . .	25	50	2 50
209 <i>divergens</i> , Pursh . . . . .	25	50	2 50
210 <i>capitata</i> , Michx. . . . .	25	50	2 50
211 <i>Medicago lupulina</i> , L. . . . .			
212 <i>Tephrosia Virginiana</i> , Pers. . . . .	25	60	4 00
213 <i>Desmodium nudiflorum</i> , DC. . . . .	20	50	3 50
214 <i>acuminatum</i> , DC. . . . .	20	50	3 50
215 <i>rotundifolium</i> , DC. . . . .	20	50	3 50
216 <i>canescens</i> , DC. . . . .	20	50	3 50
217 <i>cuspidatum</i> , T.&G. . . . .	20	50	3 50
218 <i>Dillenii</i> , Darlingt. . . . .	20	50	3 50
219 <i>paniculatum</i> , DC. . . . .	20	50	3 50
220 <i>Canadense</i> , DC. . . . .	20	50	3 50
221 <i>sessilifolium</i> , T.&G. . . . .	20	50	3 50
222 <i>rigidum</i> , DC. . . . .	20	50	3 50
223 <i>ciliare</i> , DC. . . . .	20	50	3 50
224 <i>Marilandicum</i> , F.			
<i>Boott</i> . . . . .	20	50	3 50
225 <i>Stylosanthes elatior</i> , Swartz . . . . .	15	40	1 50
226 <i>Vicia Caroliniana</i> , Walt. . . . .	20	50	2 00
227 <i>Americana</i> , Muhl. . . . .			
228 <i>Cracca</i> , L. . . . .			
229 <i>Lathrus palustris</i> , l. . . . .			
230 <i>Var. myrtifolius</i> , Gray	25	50	
231 <i>Vicia sativa</i> , L. . . . .			
232 <i>Apios tuberosa</i> , Moench, . . . . .	50	40	2 00



Order by Name or Number.	Price Per 10	Per 100	Per 1000
233 Phaseolus perennis, Walt. . . . .	20	40	2 00
234 Strophostyles angulosa, Ell. . . . .			
235 Clitoria Mariana, L. . . . .			
236 Galactia glabella, Michx. . . . .			
237 Baptisia tinctoria, R. Br. . . . .	25	60	3 50
238 Cercis Canadensis, L. . . . .	25	1 00	6 00
239 Cassia Marilandica, L. . . . .	25	60	3 50
240       nictitans, L. . . . .			
241       Chamaecrista, L. . . . .			
242 Amphicarpæa monoica, Nutt. . . . .	20	40	2 00
243 Gleditschia triacanthos, L. . . . .	50	3 00	

**Rosaceæ.**

244 Prunus Americana, Marshall . . . . .	25	75	5 00
245       pumila, L. . . . .	30	1 00	
246       Virginiana, L. . . . .	30		
247       Pennsylvanica, L. f. . . . .	30		
248       serotina, Ehrh. . . . .	25	75	5 00
249 Spiræa salicifolia, L. . . . .	25	50	2 50
250       tomentosa, L. . . . .	40		
251       lobata, Jacq. . . . .	40		
252 Physocarpus opulifolius, Maxim. . . . .	30	1 00	
253 Gillenia trifoliata, Moench. . . . .	25	60	
254 Poterium Canadense, B. & H. . . . .	25	75	
255 Agrimonia Eupatoria, L. . . . .	20	50	3 00
256       parviflora, Ait. . . . .	25	60	
257 Geum album, Gmelin, . . . . .	20	40	2 00
258       Virginianum, L. . . . .	20	40	2 00
259 Potentilla Norvegica, L. . . . .			
260       Canadensis, L. . . . .	20	40	2 00
261       arguta, Pursh. . . . .	30		
262 Fragaria Virginiana, Mill. . . . .	15	40	2 00
263       vesca, L. . . . .	25	60	
264 Rubus odoratus, L. . . . .	25	60	4 00
265       strigosus, Michx. . . . .	30	75	
266       occidentalis, L. . . . .	25	50	2 00
267       villosus, Ait. . . . .	20	40	2 00
268       villosus, var. frondosus, Torr. . . . .			
269       Canadensis, L. . . . .	20	40	2 00
270       hispidus, L. . . . .	20	40	2 00
271       cuneifolius, Pursh. . . . .	25	50	2 50
272 Rosa Carolina, L. . . . .	30	75	5 00
273       lucida, Ehrh. . . . .	30	75	5 00
274       rubiginosa, L. . . . .	40	1 00	
275 Cratægus coccinea, L. . . . .	40	1 00	7 00
276       tomentosa, L. . . . .	40	1 00	7 00
277       punctata, L., Jacq. . . . .	40	1 00	7 00
278       Crus-galli, L. . . . .			
279 Pyrus coronaria, L. . . . .			
280       arbutifolia, L. f. . . . .	25	60	3 50
281       Var. melanocarpa, Hook. . . . .			
282 Amelanchier Canadensis, T. & G. . . . .	25	75	4 00
283       Var. oblongifolia, T. & G. . . . .	50		

**Saxifragaceæ.**

284 Ribes oxacanthoides, L. . . . .			
285       floridum, L'Hec. . . . .	25	75	
286 Hydrangea arborescens, L. . . . .	20	40	2 00
287 Saxifraga Virginiensis, Michx. . . . .	15	40	2 00
288       Pennsylvanica, L. . . . .	30	1 00	
289 Heuchera Americana, L. . . . .	20	50	2 00
290       pubescens, Pursh. . . . .			
291 Mitella diphylla, L. . . . .	20	40	2 00
292 Chrysoplenium Americanum, Schwein . . . . .			

**Crasulaceæ.**

293 Penthorum sedoides, L. . . . .	25	60	3 00
294 Sedum ternatum, Michx. . . . .	15	40	2 00
295       Telephium, L. . . . .	25	60	3 00

**Hamamelidææ.**

296 Hamamelis Virginiana, L. . . . .	25	75	4 00
--------------------------------------	----	----	------

**Droseraceæ.**

297 Drosera rotundifolia, L. . . . .	20	40	2 00
--------------------------------------	----	----	------

**Haloraceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
298 <i>Callitriche verna</i> , L. . . . .	15	40	2 00

**Melastomaceæ.**

299 <i>Rhexia Virginica</i> , L. . . . .	20	40	2 00
--	----	----	------

**Lythraceæ.**

300 <i>Rotala ramosior</i> , Koehne . . .			
301 <i>Cuphea viscosissima</i> , Jacq. . .			
302 <i>Decodon verticillatus</i> , Ell. . .	50		

**Onograceæ.**

303 <i>Circeæ Lutetiana</i> , L. . . . .	15	40	1 50
304 <i>alpina</i> , L. . . . .	20	50	
305 <i>Gaura biennis</i> , L. . . . .			
306 <i>Epilobium angustifolium</i> , L. . .	25		
307 <i>lineare</i> , Muhl. . . . .	25		
308 <i>strictum</i> , Muhl. . . . .	25		
309 <i>coloratum</i> , Muhl. . . . .	20	40	2 00
310 <i>Oenothera biennis</i> , L. . . . .			
311 <i>fruticosa</i> , L. . . . .	20	40	2 00
312 <i>pumila</i> , L. . . . .			
313 <i>Ludwigia alternifolia</i> , L. . . .	25	50	2 50
314 <i>palustris</i> , Ell. . . . .	25	50	2 50

**Passifloraceæ.**

315 <i>Passiflora lutea</i> , L. . . . .		30	2 00
--	--	----	------

**Cucurbitaceæ.**

316 <i>Sicyos angulatus</i> , L. . . . .			
317 <i>Echinocystis lobata</i> , Torr & Gray			

**Cactaceæ.**

318 <i>Opuntia vulgaris</i> , Mill. . . . .			
---	--	--	--

**Ficoideæ.**

319 <i>Mollugo verticillata</i> , L. . . . .			
--	--	--	--

**Umbelliferae.**

320 <i>Daucus Carota</i> , L. . . . .			
321 <i>Angelica hirsuta</i> , Muhl. . . . .	30	75	
322 <i>atropurpurea</i> , L. . . . .	30	75	
323 <i>Tiedemannia rigida</i> , Coult. & Rose . . . . .			
324 <i>Heracleum lanatum</i> , Michx. . .	50		
325 <i>Pastinaca sativa</i> , L. . . . .			
326 <i>Thaspium aureum</i> , Nutt. . . . .			
327 <i>trifoliatum</i> , Gray . . . . .	25	75	
328 <i>barbinode</i> , Nutt. . . . .			
329 <i>Pimpinella integerrima</i> , B. & H. .	25	75	
330 <i>Anthriscus Cerefolium</i> , Hoffm. .			
331 <i>Bupleurum rotundifolium</i> , L. . .			
332 <i>Cryptotaemia Canadensis</i> , DC. .	20	40	1 50
333 <i>Sium cicutæfolium</i> , Gmelin. . .	25		
334 <i>Cicuta maculata</i> , L. . . . .	25	50	2 00
335 <i>bulbifera</i> , L. . . . .	25	50	2 00
336 <i>Chærophyllum procumbens</i> , Crantz . . . . .			
337 <i>Sanicula Marylandica</i> , L. . . .	20	50	
338 <i>Var. Canadensis</i> , Torr. . .			
339 <i>Hydrocotyle ranunculoides</i> , L. f. .			
340 <i>Americana</i> , L. . . . .			
341 <i>Osmorrhiza brevistylis</i> , DC. . .	20		
342 <i>longistylis</i> , DC. . . . .	20		

**Araliaceæ.**

343 <i>Aralia spinosa</i> , L. . . . .			
344 <i>racemosa</i> , L. . . . .	25	60	3 00
345 <i>hispida</i> , Vent. . . . .	30	1 00	
346 <i>trifolia</i> , Decsne. & Planch. .	20	40	1 50
347 <i>quinquefolia</i> , Decsne & Planch. . . . .	25	75	5 00

**Cornaceæ.**

348 <i>Cornus Canadensis</i> , L. . . . .			
349 <i>florida</i> , L. . . . .	25	60	5 00
350 <i>sericea</i> , L. . . . .	25	60	5 00
351 <i>alternifolia</i> , L. f. . . . .	25	75	5 50
352 <i>paniculata</i> , L'Her. . . . .			
353 <i>circinata</i> , L'Her. . . . .			
354 <i>Nyssa sylvatica</i> , Marsh. . . . .	30	1 00	6 00

**Caprifoliaceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
355 <i>Lonicera sempervirens</i> , Ait. . . . .			
356 <i>glaucæ</i> ; Hill . . . . .			
357 <i>grata</i> , Ait. . . . .	20	40	1 50
358 <i>Symphoricarpos racemosus</i> , Michx. . . . .	25	75	5 00
359 <i>Diervilla trifida</i> , Moench. . . . .	25	75	5 00
360 <i>Triosteum perfoliatum</i> , L. . . . .	25	60	4 00
361 <i>angustifolium</i> , L. . . . .			
362 <i>Sambucus racemosa</i> , L. . . . .	40	1 75	10 00
363 <i>Canadensis</i> , L. . . . .	25	50	3 00
364 <i>Viburnum Lentago</i> , L. . . . .			
365 <i>prunifolium</i> , L. . . . .	25	75	6 00
366 <i>nudum</i> , L. . . . .	30	1 25	7 00
367 <i>dentatum</i> , L. . . . .	25	75	5 00
368 <i>acerifolium</i> , L. . . . .	20	40	3 00

**Rubiaceæ.**

369 <i>Galium Aparine</i> , L. . . . .			
370 <i>asprellum</i> , Michx. . . . .			
371 <i>concinnum</i> , Torr. & Gray			
372 <i>trifidum</i> , L., var. <i>tinc-</i> <i>torium</i> , Gray . . . . .			
373 <i>triflorum</i> , Michx. . . . .			
374 <i>pilosum</i> , Ait. . . . .			
375 <i>circæans</i> , Michx. . . . .	20	40	1 50
376 <i>lanceolatum</i> , Torr. . . . .			
377 <i>boreale</i> , L. . . . .			
378 <i>Diodia teres</i> , Walt. . . . .			
379 <i>Oldenlandia glomerata</i> , Michx.			
380 <i>Cephalanthus occidentalis</i> , L. . . . .	30	75	5 00
381 <i>Mitchella repens</i> , L. . . . .	15	35	1 00
382 <i>Houstonia purpurea</i> , L., var. <i>longifolia</i> , Gray . . . . .	20	40	1 25
383 <i>caerulea</i> , L. . . . .	15	35	1 00
384 <i>Sherardia arvenis</i> , L. . . . .			

**Valerianaceæ.**

385 <i>Valeriana pauciflora</i> , Michx. . . . .	30	1 00	
386 <i>olitoria</i> , Poll. . . . .			
387 <i>radiata</i> , Dufr. . . . .			

**Dipsacæ.**

388 <i>Dipsacus sylvestris</i> , Mill. . . . .			
--	--	--	--

**Compositæ.**

389 <i>Elephantopus Carolinianus</i> , Willd. . . . .	25	50	
390 <i>Vernonia Noveboracensis</i> , Willd.	25	50	
391 <i>Mikania scandens</i> , L. . . . .	25	50	
392 <i>Eupatorium purpureum</i> , L. . . . .	25	50	
393 <i>hyssopifolium</i> , L. . . . .	25	50	
394 <i>teucritolium</i> , Willd.	25	50	
395 <i>rotundifolium</i> , L. . . . .	25	50	
396 <i>sessilifolium</i> , L. . . . .	25	50	
397 <i>perfoliatum</i> , L. . . . .	20	40	
398 <i>ageratoides</i> , L. . . . .	20	40	
399 <i>cœlestinum</i> , L. . . . .	20	40	
400 <i>aromaticum</i> , L. . . . .			
401 <i>Kuhnia eupatorioides</i> , L. . . . .			
402 <i>Liatris spicata</i> , Willd. . . . .	20	40	2 50
403 <i>Chrysopsis Mariana</i> , Nutt. . . . .			
404 <i>Solidago bicolor</i> , L. . . . .	20	40	2 50
405 <i>latifolia</i> , L. . . . .	20	40	2 50
406 <i>cæsia</i> , L. . . . .	20	40	2 50
407 <i>humilis</i> , Pursh. . . . .	20	40	2 50
408 <i>neglecta</i> , Torr. & Gray	20	40	2 50
409 <i>patula</i> , Muhl. . . . .	20	40	2 50
410 <i>arguta</i> , Ait. . . . .	20	40	2 50
411 <i>juncea</i> , Ait. . . . .	20	40	2 50
412 <i>rugosa</i> , Mill. . . . .	20	40	2 50
413 <i>ulmifolia</i> , Muhl. . . . .	20	40	2 50
414 <i>odora</i> , Ait. . . . .	20	40	2 50
415 <i>nemoralis</i> , Ait. . . . .	20	40	2 50
416 <i>Canadensis</i> , L. . . . .	20	40	2 50
417       var. <i>procera</i> , T & Gray	20	40	2 50
418 <i>serotina</i> , Ait. . . . .	20	40	2 50
419 <i>gigantea</i> , Ait. . . . .	20	40	2 50
420 <i>lanceolata</i> , L. . . . .	20	40	2 50
421 <i>tenuifolia</i> , Pursh. . . . .	20	40	2 50



Order by Name or Number.	Price Per 10	Per 100	Per 1000
422 <i>Boltonia glastifolia</i> , L'Her. . . . .	25	50	
423 <i>Sericocarpus conyzoides</i> , Nees . . . . .	25	50	
424 <i>solidagineus</i> , Nees . . . . .	25	50	
425 <i>Aster corymbosus</i> , Ait. . . . .	25	40	2 00
426 <i>macrophyllus</i> , L. . . . .	25	50	2 00
427 <i>radula</i> , Ait. . . . .			
428 <i>patens</i> , Ait. . . . .	25	50	2 00
429       Var. <i>phlogifolius</i> , Nees. . . . .			
430 <i>lævis</i> , L. . . . .	25	50	
431 <i>undulatus</i> , L. . . . .	25	50	2 00
432 <i>cordifolius</i> , L. . . . .	25	50	2 00
433 <i>ericoides</i> , L. . . . .	25	50	2 00
434       Var. <i>villosus</i> , Torr. & G. . . . .			
435       Var. <i>pusilis</i> , Gray . . . . .			
436       Var. <i>gracilis</i> . . . . .			
437 <i>multiflorus</i> , Ait. . . . .	25	50	2 00
438 <i>dumosus</i> , L. . . . .	25	50	2 00
439 <i>vimineus</i> , Lam. . . . .	25	50	2 00
440 <i>diffusus</i> , Ait. . . . .	25	50	2 00
441 <i>paniculatus</i> , Lam. . . . .	25	50	2 00
442 <i>puniceus</i> , L. . . . .	25	50	2 00
443 <i>prenanthoides</i> , Muhl. . . . .	25	50	2 00
444 <i>Novæ-Angliæ</i> , L. . . . .	25	50	2 00
445 <i>linariifolius</i> , L. . . . .	25	50	2 00
446 <i>umbellatus</i> , Mill. . . . .	25	50	2 00
447       Var. <i>latifolius</i> , Gray . . . . .			
448 <i>infirmus</i> , Michx. . . . .	25	50	2 00
449 <i>Erigeron Canadensis</i> , L. . . . .			
450 <i>bellidifolius</i> , Muhl . . . . .	20	40	1 50
451 <i>Philadelphicus</i> , L. . . . .	20	40	1 50
452 <i>annuus</i> , Pers. . . . .			
453 <i>strigosus</i> , Muhl. . . . .			
454 <i>Bacharis halimifolia</i> , L. . . . .			
455 <i>Filago Germanica</i> , L. . . . .			
556 <i>Anaphalis margaritacea</i> B'th&H . . . . .			
457 <i>Antennaria plantaginifolia</i> , H. . . . .			
458 <i>Gnaphalium polycephalum</i> , Mx. . . . .			
459 <i>uliginosum</i> , L. . . . .			
460 <i>purpureum</i> , L. . . . .			
461 <i>Inula Helenium</i> , L. . . . .			
462 <i>Polymnia Canadensis</i> , L. . . . .			
463 <i>Uvedalia</i> , L. . . . .			
464 <i>Silphium trifoliatum</i> , L. . . . .	30	60	
465 <i>perfoliatum</i> , L. . . . .	30	60	
466 <i>Chrysogonum Virginianum</i> , L. . . . .			
467 <i>Ambrosia trifida</i> , Y. . . . .			
468       Var. <i>Integrifolia</i> , . . . . .			
Torr. & Gray . . . . .			
469 <i>artemesiæfolia</i> L. . . . .			
470 <i>Xanthium spinosum</i> , L. . . . .			
471 <i>strumarium</i> , L. . . . .			
472 <i>Eclipta alba</i> , Hassk. . . . .			
473 <i>Heliopsis lævis</i> , Pers. . . . .	30		
474 <i>Rudbeckia laciniata</i> , L. . . . .			
475 <i>hirta</i> , L. . . . .			
476 <i>fulgida</i> , Ait. . . . .			
477 <i>Helianthus giganteus</i> , L. . . . .			
478 <i>strumosus</i> , L. . . . .	25	60	
479       Var. <i>mollis</i> , T. & G. . . . .			
480 <i>divaricatus</i> , L. . . . .	25	50	
481 <i>decapetalus</i> , L. . . . .			
482 <i>tuberosus</i> , L. . . . .	25	50	
483 <i>doronicoides</i> , Lam. . . . .			
484 <i>Actinomeris squarrosa</i> , Nutt. . . . .	20	40	1 50
485 <i>Coreopsis tripteris</i> , L. . . . .	30	60	
486 <i>Bidens frondosa</i> , L. . . . .			
487 <i>connata</i> , Muhl. . . . .			
488 <i>cernua</i> , L. . . . .			
489 <i>bipinnata</i> , L. . . . .			
490 <i>chrysanthemoides</i> , Mx. . . . .			
491 <i>Helenium autumnale</i> , L. . . . .	25	50	
492 <i>Anthemis Cotula</i> , DC. . . . .			
493 <i>arvensis</i> , L. . . . .			
494 <i>Achillea Millefolium</i> , L. . . . .	20	40	1 50
495 <i>Chrysanthemum Leucanthemum</i> , L. . . . .	15	30	1 00
496 <i>Parthenium</i> , . . . . .			
Pers. . . . .	20	40	1 50

Order by Name or Number.	Price Per 10	Per 100	Per 1000
497 <i>Tanacetum vulgare</i> , L. . . . .	20	40	1 50
497½                   Var. <i>crispum</i> . . . . .	20	40	1 50
498 <i>Arnica nudicaulis</i> , Nutt. . . . .			
499 <i>Senecio aureus</i> , L., var. <i>obovatus</i> Torr. & Gray . . . . .	20		
500                   Var. <i>Balsamitæ</i> , Torr. & Gray . . . . .	20	40	1 00
501 <i>aureus</i> , L. . . . .	20	40	1 25
502 <i>Cacalia suaveolens</i> , L. . . . .	25	50	2 00
503 <i>reniformis</i> , Muhl. . . . .	40	75	
504 <i>atriplicifolia</i> , L. . . . .	25	50	
505 <i>Erectites hieracifolia</i> , Raf. . . . .			
506 <i>Arctium Lappa</i> , L. . . . .			
507 <i>Cnicus lanceolatus</i> , Hoffm. . . . .			
508 <i>altissimus</i> , Willd. . . . .			
509                   var. <i>discolor</i> , Gray. . . . .			
510 <i>muticus</i> , Pursh. . . . .			
511 <i>pumilus</i> , Torr. . . . .			
512 <i>horridulus</i> , Pursh . . . . .			
513 <i>arvensis</i> , Hoffm. . . . .			
514 <i>Centaurea Cyanus</i> , L. . . . .			
515 <i>Krigia Virginica</i> , Willd. . . . .			
516 <i>amplexicaulis</i> , Nutt. . . . .	25	50	
517 <i>Cichorium Intybus</i> , L. . . . .	20	50	2 50
518 <i>Hieracium scabrum</i> , Michx. . . . .	20	40	
519 <i>Gronovii</i> , L. . . . .	20	40	
520 <i>venosum</i> , L. . . . .	20	40	
521 <i>paniculatum</i> , L. . . . .	20	40	
522 <i>Prenanthes alba</i> , L. . . . .	25	60	
523 <i>altissima</i> , L. . . . .	25	60	
524 <i>serpentaria</i> , Pursh. . . . .	25	60	
525 <i>Taraxacum officinale</i> , Weber. . . . .			
526 <i>Lactuca Canadensis</i> , L. . . . .			
527 <i>integrifolia</i> , Bigel . . . . .			
528 <i>acuminata</i> , Gray . . . . .			
529 <i>Floridana</i> , Gærtn . . . . .			
530 <i>leucophæa</i> , Gray . . . . .			
531 <i>Sonchus oleraceus</i> , L. . . . .			
532 <i>asper</i> , Vill. . . . .			

**Lobeliaceæ.**

533 <i>Lobelia cardinalis</i> , L. . . . .	20	40	2 00
534 <i>syphilitica</i> , L. . . . .	25	50	2 50
535 <i>puberula</i> , Michx. . . . .	25	50	
536 <i>inflata</i> , L. . . . .	20	40	
537 <i>spicata</i> , Lam. . . . .			
538                   var. <i>parviflora</i> , Gray . . . . .			
539 <i>Kalmii</i> , L. . . . .			

**Campanulaceæ.**

540 <i>Specularia perfoliata</i> , A. DC. . . . .			
541 <i>Campanula rotundifolia</i> , L. . . . .	20	40	2 00
542 <i>aparinoides</i> , Pursh. . . . .	20	40	
543 <i>Americana</i> , L. . . . .			

**Ericaceæ.**

544 <i>Gaylussacia dumosa</i> , T. & G. . . . .			
545 <i>frondosa</i> , " . . . . .			
546 <i>resinosa</i> , " . . . . .			
547 <i>Vaccinium macrocarpon</i> , Ait. . . . .			
548 <i>staminium</i> , L. . . . .	25	50	3 00
549 <i>Pennsylvanicum</i> , Lam . . . . .	20	40	2 50
550 <i>vacillans</i> , Solander . . . . .	20	40	2 50
551 <i>Canadense</i> , Kalm. . . . .	20	40	2 50
552 <i>corymbosum</i> , L. . . . .			
553                   var. <i>atrococcum</i> , Gr . . . . .	25	60	3 00
554 <i>Epigæa repens</i> , L. . . . .	20	40	2 00
555 <i>Gaultheria procumbens</i> , L. . . . .	20	35	1 75
556 <i>Leucothoe racemosa</i> , Gray . . . . .	25	60	
557 <i>Andromeda ligustrina</i> , Muhl. . . . .	20	40	2 50
558 <i>Mariana</i> , L. . . . .	50		
559 <i>Kalmia latifolia</i> , L. . . . .	25	60	3 00
560 <i>angustifolia</i> , L. . . . .	25	60	3 00
561 <i>Rhododendron viscosum</i> , Torr. . . . .	25	60	
562 <i>nudiflorum</i> , T. . . . .	20	40	2 50
563 <i>maximum</i> , L. . . . .	25	60	3 50
564 <i>Chimaphila umbellata</i> , Nutt. . . . .	15	35	1 75
565 <i>maculata</i> , Pursh. . . . .	15	35	1 75

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
566	<i>Pyrola rotundifolia</i> , L. . . . .	15	30	1 00
567	<i>eliptica</i> , Nutt. . . . .	15	30	1 00
568	<i>chlorantha</i> , Swartz . . . .	20	40	1 50
569	<i>Monotropa uniflora</i> , L. . . . .			
570	<i>Hypopitis</i> , L. . . . .			

**Primulaceæ.**

571	<i>Dodecatheon media</i> , L. . . . .	25	50	
572	<i>Trientalis Americana</i> , Pursh . .	20	40	
573	<i>Steironema ciliatum</i> , Raf. . . . .	25	50	
574	<i>lanceolatum</i> , Gray . . . .	25	50	
575	<i>Lysimachia stricta</i> , Ait. . . . .	25	50	
576	<i>quadrifolia</i> , L. . . . .	20	40	
577	<i>Anagallis arvensis</i> , L. . . . .			
578	<i>Samolus Valerandi</i> , L., Var. <i>Americanus</i> , Gray . . . .			

**Ebenaceæ.**

579	<i>Diospiros Virginiana</i> , L. . . . .	30	75	
-----	--	----	----	--

**Oleaceæ.**

580	<i>Fraxinus Americana</i> , L. . . . .	25	50	3 00
581	<i>pubescens</i> , Lam. . . . .			
582	<i>viridis</i> , Michx. f. . . . .			
583	<i>sambucifolia</i> , Lam. . . . .			
584	<i>Chionanthus Virginica</i> , L. . . . .	30	75	
585	<i>Ligustrum vulgare</i> , L. . . . .	30	75	

**Apocynaceæ**

586	<i>Apocynum androsæmifolium</i> , L. .	20	40	
587	<i>cannabinum</i> , L. . . . .	20	40	

**Asclepiadaceæ.**

588	<i>Asclepias tuberosa</i> , L. . . . .	25	50	
588½	<i>phytolaccoides</i> , Ph. . . .	25	50	
589	<i>rubra</i> , L. . . . .	30	1 00	
590	<i>purpurascens</i> , L. . . . .	25	50	
591	<i>incarnata</i> , L. . . . .	25	50	
592	var. <i>pulchra</i> , Pers . . . .			
593	<i>Cornuti</i> , Decaisne . . . .	25	50	
594	<i>obtusifolia</i> , Michx. . . .	25	50	
595	<i>variegata</i> , L. . . . .	25	50	
596	<i>quadrifolia</i> , L. . . . .	25	50	
597	<i>verticillata</i> , L. . . . .	25	50	
598	<i>Acerates viridiflora</i> , Ell . . . . .	25	50	
599	<i>Gonolobus obliquus</i> , R. Br. . . .	25	50	

**Gentianaceæ.**

600	<i>Erythæa ramossima</i> , Pers . . . .			
601	<i>Sabbatia angularis</i> , Pursh . . . .			
602	<i>Gentiana crinita</i> , Frœl. . . . .			
603	<i>ochroleuca</i> , Frœl. . . . .	30	1 00	
604	<i>Andrewsii</i> , Griseb . . . .	25	60	
605	<i>Saponaria</i> , L. . . . .	30		
606	<i>Bartonia tenella</i> , Muhl. . . . .			
607	<i>Obolaria Virginica</i> , L. . . . .	15	35	1 00
608	<i>Menyanthese trifoliata</i> , L. . . .			

**Polemoniaceæ.**

609	<i>Phlox paniculata</i> , L. . . . .	20	40	
610	<i>maculata</i> , L. . . . .	20	40	
611	<i>pilosa</i> , L. . . . .			
612	<i>divaricata</i> , L. . . . .	15	40	1 00
613	<i>subulata</i> , L. . . . .			
614	<i>Polemonium reptans</i> , L. . . . .	25	60	

**Hydrophyllaceæ.**

615	<i>Hydrophyllum Virginicum</i> , L. . .	15	35	1 00
616	<i>Canadense</i> , L. . . . .	20	40	1 50
617	<i>appendiculatum</i> , Michx. . . . .			
618	<i>Ellisia Nyctelea</i> , L. . . . .			
619	<i>Phacelia parviflora</i> , Pursh . . .			

**Boraginaceæ.**

620	<i>Cynoglossum officinale</i> , L. . . .			
621	<i>Virginicum</i> , Lx. . . . .	20	40	
622	<i>Echinospermum Virginicum</i> , . . .			
	Lehm. . . . .			
623	<i>Mertensia Virginica</i> , DC. . . . .	20	40	1 50



Order by Name or Number.	Price Per 10	Per 100	Per 1000
624 Myosotis laxa, Lehm. . . . .	20	40	
625        verna, Nutt. . . . .			
626 Lithospermum arvense, L. . . . .			
627        latifolium, Mchx			
628 Onosmodium Virginianum, DC.	20	40	
629 Symphytum officinale, L. . . . .	25	50	
630 Echium vulgare, L. . . . .			

**Convolvulaceæ.**

631 Ipomœa purpurea, Lam . . . . .			
632        nil, Roth. . . . .			
633        pandurata, Meyer . . . . .	25	50	
634        lacunosa, L. . . . .			
635 Convolvulus spithamæus, L. . . . .	20	40	
636        sepium, L. . . . .	20	40	
637        arvensis, L. . . . .	20	40	
638 Cuscuta Epilinum, Weihe . . . . .			
639        tenuiflora, Englm . . . . .			
640        chlorocarpa, Engelm. . . . .			
641        Gronovii, Willd. . . . .			

**Solanaceæ.**

642 Solanum Dulcamara, L. . . . .			
643        nigram, L. . . . .			
644        Carolinse, L. . . . .	15	35	1 00
645 Physalis Philadelphica, Lam . . . . .			
646        viscosa, L. . . . .	20	50	
647        Pennsylvanica, L. . . . .			
648 Nicandra physaloides, Gærtm			
649 Lysium vulgare, Dunal . . . . .	30	75	
650 Datura Stramonium, L. . . . .			
651        Tatula, L. . . . .			

**Scrophulariaceæ.**

652 Verbascum Thapsus, L. . . . .			
653        Blattaria, L. . . . .			
654        Lychnitis, L. . . . .			
655 Linaria Canadensis, Dumont . . . . .			
656        vulgaris, Mill . . . . .	15	35	1 00
657 Scrophularia nodosa, L., var.			
Marilandica, G.	25	50	
658 Chelone glabra, L. . . . .	25	50	
659 Penstemon pubescens, Sol. . . . .	15	35	1 50
660 Mimulus ringens, L. . . . .	25	50	
661        alatus, Ait. . . . .			
662 Gratiola Virginiana, L. . . . .			
663 Ilysanthes riparia, Raf. . . . .			
664 Veronica Virginica, L. . . . .	25	50	
665        Anagallis, L. . . . .			
666        Americana, Schweintz			
667        scutellata, L. . . . .			
668        officinalis, L. . . . .	15	35	1 50
669        serpyllifolia, L. . . . .			
670        peregrina, L. . . . .			
671        arvensis, L. . . . .			
672        agrestis, L. . . . .			
673        hederæfolia, L. . . . .			
674 Gerardia purpurea, L. . . . .			
675        tenuifolia, Vahl. . . . .			
676        setacea, Walt. . . . .			
677        flava, L. . . . .			
678        quercifolia, Pursh. . . . .			
679        pedicularia, L. . . . .			
680 Castilleia coccinea, Spreng. . . . .			
681 Pedicularis Canadensis, L. . . . .	15	35	1 50
682        lanceolata, Michx. . . . .			
683 Melampyrum Americanum, Mx			

**Orobanchaceæ.**

684 Epiphegus Virginiana, Bart . . . . .			
685 Conopholis Americana, Wall. . . . .			
686 Aphyllon uniflorum, Gray . . . . .			

**Lentibulariaceæ.**

687 Utricularia vulgaris, L. . . . .			
688        gibba, L. . . . .			

**Bignoniaceæ.**

689 Tecoma radicans, Juss . . . . .	30	1 00	
690 Catalpa bignonioides, Walt. . . . .			

**Pedaliaceæ.**

Order by Name or Number.

Price Per 10

Per 100

Per 1000

691 *Myrtynia probiscidea*, Glox. . .**Acanthaceæ.**692 *Dianthera Americana*, L. . . . 15 35 1 25**Verbenaceæ.**693 *Verbena officinalis*, L. . . . .694 *urticæfolia*, L. . . . .695 *hastata*, L. . . . . 15 35696 *angustifolius*, Michx. . . . 15 35697 *Lippia lanceolata*, Michx. . . . 20 40698 *Phryma Leptostachya*, L. . . . 20 40**Labiataæ.**699 *Trichostema dichotomum*, L. . .700 *Isenthus cæruleus*, Michx. . .701 *Teucrium Canadense*, L. . . . 15 30 1 00702 *Collinsonia Canadensis*, L. . . 20 40 2 00703 *Mentha viridis*, L. . . . . 15 35 2 00704 *rotundifolia*, L. . . . . 15 35 2 00705 *piperita*, L. . . . . 15 35 2 00706 *sativa*, L. . . . .707 *Candensis*, L. . . . . 20 40708 *Var. glabrata*, Benth.709 *Lycopus Virginicus*, L. . . . 15 30 2 00710 *Europæus*, L. . . . .711 *rubellus*, Moench. . . . 20 40712 *sinuatus*, Ell. . . . . 15 30 1 75713 *Cunilla Mariana*, L. . . . . 15 30 1 75714 *Pycnanthemum incanum*, Mx. . . 20 40715 *clinopodioides*,

Gray . . . . 20 40

716 *muticum*, Pers. . . . 20 40717 *lanceolatum*

Pursh . . . . 20 40

718 *linifolium*, Pursh . . . . 20 40719 *Origanum vulgare*, L. . . . .720 *Calamintha Clinipodium*, Benth, . 15 35 1 00721 *Melissa officinalis*, L. . . . . 15 35 1 00722 *Hedeoma pulegioides*, Pers . .723 *Salvia lyrata*, L. . . . . 15 35 1 00724 *Monarda fistulosa*, L. . . . . 15 35 1 00725 *punctata*, L. . . . . 15 35 1 00726 *Lophanthus nepetoides*, Benth, . 20 40727 *scrophulariæfolius*

Benth. . . . .

728 *Nepeta Cataria*, L. . . . . 15 35 1 00729 *Glechoma*, Benth. . . . . 15 35 1 00730 *Scutellaria lateriflora*, L. . . . 15 35 1 00731 *canescens*, Nutt . . . .732 *pilosa*, Michx. . . . . 15 35 1 00733 *integrifolia*, L. . . . . 15 35 1 00734 *nervosa*, Pursh. . . . .735 *parvula*, Michx. . . . . 15 35 1 00736 *galericulata*, L. . . . .736½ *serrata*, Andrews . . . . .737 *Brunella vulgaris*, L. . . . . 15 35 1 00738 *Physsostegia Virginiana*, Benth.739 *Marrubium vulgare*, L. . . . . 15 35 1 00740 *Leonurus Cardiaca*, L. . . . . 15 35 1 00741 *Lamium amplexicaule*, L. . . . .742 *purpureum*, L. . . . .743 *Stachys aspera*, Michx. . . . .744 *var. glabra*, Gray . . . . .**Plantaginaceæ.**745 *Plantago major*, L. . . . .746 *lanceolata*, L. . . . .747 *Virginica*, L. . . . .**Illecebraceæ.**748 *Anychia dichotoma*, Michx. . .749 *Scleranthus annuus*, L. . . . .**Amarantaceæ.**750 *Amarantus hypochondriacus*, L.751 *paniculatus*, L. . . . .752 *retroflexus*, L. . . . .

Order by Name or Number.	Price Per 10	Per 100	Per 1000
753 <i>Amarantus chlorostachys</i> , Willd.			
754 <i>albus</i> , L. . . . .			
755 <i>spinosus</i> , L. . . . .			
<b>Chenopodiaceæ.</b>			
756 <i>Chenopodium album</i> , L. . . . .			
757 <i>Boscianum</i> , Moq.			
758 <i>glaucum</i> , L. . . . .			
759 <i>urbicum</i> , L. . . . .			
760 <i>hybridum</i> , L. . . . .			
761 <i>Botrys</i> , L. . . . .			
762 <i>ambrosioides</i> , L.			
763       var. <i>anthelminticum</i> , Gray.			
764 <i>capitatum</i> , Wat.			
<b>Phytolaccaceæ.</b>			
765 <i>Phytolacca decandra</i> , L. . . . .	20	40	
<b>Polygonaceæ.</b>			
766 <i>Polygonum orientale</i> , L. . . . .			
767 <i>Pennsylvanicum</i> , L.			
768 <i>incarnatum</i> , Ell, . . . .			
769 <i>Persicaria</i> , L. . . . .			
770 <i>Hydropiper</i> , L. . . . .			
771 <i>acre</i> , H. B. K. . . . .			
772 <i>hydropiperoides</i> , Mx.			
773 <i>amphibium</i> , L. var.			
<i>aquaticum</i> , Willd.			
774 <i>Muhlenbergii</i> , Wat-			
<i>son</i> . . . . .	25	50	
775 <i>Virginianum</i> , L. . . . .	15	35	
776 <i>aviculare</i> , L. . . . .			
777 <i>erectum</i> , L. . . . .			
778 <i>tenue</i> , Michx. . . . .			
779 <i>arifolium</i> , L. . . . .			
780 <i>sagittatum</i> , L. . . . .			
781 <i>Convolvulus</i> , L. . . . .			
782 <i>dumetorum</i> , L. var.			
<i>scandens</i> , Gray . . . .			
783 <i>Fagopyrum esculentum</i> , Moench			
784 <i>Rumex Britannica</i> , L. . . . .	25	60	
785 <i>crispus</i> , L. . . . .			
786 <i>obtusifolius</i> . . . . .			
787 <i>conglomeratus</i> , Murray			
788 <i>Acetosella</i> , L. . . . .			
<b>Aristolochiaceæ.</b>			
789 <i>Asarum Canadense</i> , L. . . . .	15	35	1 00
790 <i>Aristolochia Serpentina</i> , L. . . .	20	40	2 50
<b>Piperaceæ.</b>			
791 <i>Saururus cernuus</i> , L. . . . .	20	40	
<b>Lauraceæ.</b>			
792 <i>Sassafras officinale</i> , Nees. . . .	30	1 00	
793 <i>Lindera Benzoin</i> , Blume. . . . .	20	50	2 50
<b>Thymelæaceæ.</b>			
794 <i>Dirca palustris</i> , L. . . . .			
<b>Loranthaceæ.</b>			
795 <i>Phoradendron flavescens</i> , Nutt.			
<b>Santalaceæ.</b>			
796 <i>Comandra umbellata</i> , Nutt. . . .			
<b>Euphorbiaceæ.</b>			
797 <i>Euphorbia maculata</i> , L. . . . .			
798 <i>hypericifolia</i> , L. . . . .			
799 <i>corollata</i> , L. . . . .	20	40	2 50
800 <i>Darlingtonii</i> , Gray . . . .	25	50	
801 <i>dentata</i> , Michx. . . . .			
802 <i>Peplus</i> , L. . . . .			
803 <i>commutata</i> , Engelm.			
804 <i>Lathyris</i> , L. . . . .			
805 <i>Acalypha Virginica</i> , L. . . . .			
806 <i>Phyllanthus Carolinensis</i> , Walt.			



**Urticaceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
807 <i>Ulmus fulva</i> , Michx. . . . .	30	1 00	
808 <i>Americana</i> , L. . . . .	30	1 00	
809 <i>Celtis occidentalis</i> , L. . . . .	30	1 00	
810 <i>Cannabis sativa</i> , L. . . . .			
811 <i>Humulus Lupulus</i> , L. . . . .	30	1 00	
812 <i>Morus rubra</i> , L. . . . .	30	1 00	
813 <i>alba</i> , L. . . . .	30	1 00	
814 <i>Urtica gracilis</i> , Ait. . . . .	20	40	
815 <i>dioica</i> , L. . . . .	20	40	2 50
816 <i>Laportea Canadensis</i> , Gaudich. . . . .	20	40	2 50
817 <i>Pilea pumila</i> , Gray, . . . . .			
818 <i>Boehmeria cylindrica</i> , Willd. . . . .	20	40	
819 <i>Parietaria Pennsylvanica</i> , Muhl.			

**Platanaceæ.**

820 <i>Platanus occidentalis</i> , L. . . . .	30	1 00	
---	----	------	--

**Juglandaceæ.**

821 <i>Juglans cineria</i> , L. . . . .	30	1 00	
822 <i>nigra</i> , L. . . . .	30	1 00	
823 <i>Carya alba</i> , Nutt. . . . .			
824 <i>sulcata</i> , Nutt. . . . .			
825 <i>tomentosa</i> , Nutt. . . . .	30	1 00	
826 <i>microcarpa</i> , Nutt. . . . .			
827 <i>porina</i> , Nutt. . . . .			
828 <i>amara</i> , Nutt. . . . .	30	1 00	

**Myricaceæ.**

829 <i>Myrica asplenifolia</i> , Endl. . . . .	20	40	2 50
--	----	----	------

**Cupuliferae.**

830 <i>Betula lenta</i> , L. . . . .	20	50	2 50
831 <i>nigra</i> , L. . . . .	20	50	2 50
832 <i>Alnus serrulata</i> , Willd. . . . .	20	50	
833 <i>Corylus Americana</i> , Walt. . . . .	20	50	
834 <i>rostrata</i> , Ait. . . . .	20	50	2 00
835 <i>Ostrya Virginica</i> , Willd. . . . .	20	50	
836 <i>Carpinus Caroliniana</i> , Walter. . . . .	20	50	
837 <i>Quercus alba</i> , L. . . . .	20	50	
838 <i>stellata</i> , Wang. . . . .	30		
839 <i>bicolor</i> , Willd. . . . .	30		
840 <i>Prinus</i> , L. . . . .	20	40	2 50
841 <i>Muhlenbergii</i> , Engelm. . . . .			
842 <i>prinoides</i> , Willd. . . . .	30	1 00	
843 <i>rubra</i> , L. . . . .	30	1 00	
844 <i>coccinea</i> , Wang. . . . .			
845 <i>tinctoria</i> , Bartram . . . . .	30		
846 <i>palustris</i> , Du Roi . . . . .	30		
847 <i>ilicifolia</i> , Wang. . . . .	30		
848 <i>nigra</i> , L. . . . .			
849 <i>Phellos</i> , L. . . . .			
850 <i>Castanea sattivva</i> , Mill. var. <i>Amer-</i> <i>icana</i> . . . . .	30	75	
851 <i>pumilla</i> , Mill. . . . .	30	75	
852 <i>Fagus ferruginea</i> , Ait. . . . .	30	75	

**Salicaceæ.**

853 <i>Salix tristis</i> , Ait. . . . .	25	75	
854 <i>humilis</i> , Marsh . . . . .	55	75	
855 <i>discolor</i> , Muhl. . . . .	25	75	
855½ <i>sericea</i> , Marsh . . . . .	25	75	
856 <i>petiolaris</i> , Smith, . . . . .	25	75	
857 <i>purpurea</i> , L. . . . .			
858 <i>cordata</i> , Muhl. . . . .	25	75	
859       Var. <i>myricoides</i> , Gray . . . . .			
860 <i>lucida</i> , Muhl. . . . .	25	75	
861 <i>nigra</i> , Marsh . . . . .	25	75	
862       Var. <i>falcata</i> , Torr. . . . .			
863 <i>fragilis</i> , L. Var. <i>Russelli-</i> <i>ana</i> , Carey . . . . .			
864 <i>alba</i> , L. . . . .			
865 <i>Populus tremuloides</i> , Michx. . . . .	30	75	
866 <i>grandidentata</i> , Michx, . . . . .	30	75	

**Ceratophyllaceæ.**

867 <i>Ceratophyllum demersum</i> , L. . . . .			
--	--	--	--

**Coniferæ.**

Order by	Name or Number.	Price Per 10	Per 100	Per 1000
868	<i>Pinus Strobus</i> , L. . . . .	25	50	2 50
869	<i>rigida</i> , Mill. . . . .	30	60	
870	<i>inops</i> , Ait. . . . .	20	40	2 50
871	<i>mitis</i> , Michx. . . . .			
872	<i>Tsuga Canadensis</i> , Carr. . . . .	25	50	3 00
873	<i>Juniperus communis</i> , L. . . . .	25	50	
874	<i>Virginiana</i> , L. . . . .	25	50	3 00

**Hydrocharidaceæ.**

875	<i>Valisneria spiralis</i> , L. . . . .			
876	<i>Elodea Canadensis</i> , Michx. . . . .			

**Orchidaceæ.**

877	<i>Microstylis ophioglossoides</i> , Nutt. . . . .			
878	<i>Liparis liliifolia</i> , Richard . . . . .	25		2 50
879	<i>Læselii</i> , " . . . . .			
880	<i>Applextrum hiemale</i> , Nutt. . . . .	25	60	3 00
881	<i>Corallohiza innata</i> , R. Br. . . . .			
882	<i>odontorhiza</i> , Nutt. . . . .			
883	<i>multiflora</i> , Nutt. . . . .			
884	<i>Spiranthes cernua</i> , Richard. . . . .	25	50	
885	<i>latifolia</i> , Torr. . . . .	25	50	
886	<i>præcox</i> , Watson . . . . .	25	50	
887	<i>gracilis</i> , Bigelow, . . . . .	25	50	
888	<i>Goodyera pubescens</i> , R. Br. . . . .	25	50	
889	<i>Arethusa bulbosa</i> , L. . . . .			
890	<i>Calopogon pulchellus</i> , R. Br. . . . .			
891	<i>Pogonia ophioglossoides</i> , Nutt. . . . .	25	50	
892	<i>pendula</i> , Lindl. . . . .	25	50	
893	<i>verticillata</i> , Nutt. . . . .	25	50	
894	<i>Orchis spectabilis</i> , L. . . . .	25	50	
895	<i>Habenaria tridentata</i> , Hook . . . . .	25	50	
896	<i>virescens</i> , Spreng. . . . .			
897	<i>ciliaris</i> , R. Br. . . . .	25	50	
898	<i>lacera</i> , R. Br. . . . .			
899	<i>psycodes</i> , Gray . . . . .			
900	<i>fimbriata</i> , R. Br. . . . .			
901	<i>peramœna</i> , Gray, . . . . .			
902	<i>Cypripedium pubescens</i> , Willd. . . . .	25	50	
903	<i>acaule</i> , Ait. . . . .	25	50	
904	<i>parviflorum</i> , Salis. . . . .			

**Hæmodoraceæ.**

905	<i>Alerta farinosa</i> , L. . . . .	20	40	
-----	-------------------------------------	----	----	--

**Iridaceæ.**

906	<i>Iris versicolor</i> , L. . . . .	25	50	
907	<i>prismatica</i> , Pursh. . . . .	25	50	
908	<i>verna</i> , L. . . . .			
909	<i>Belamcandia Chinensis</i> , Adans. . . . .			
910	<i>Sisyrinchium angustifolium</i> , Mill. . . . .	15	35	1 00
911	<i>anceps</i> , Cav. . . . .	15	35	1 00

**Amaryllidaceæ.**

912	<i>Hypoxis erecta</i> , L. . . . .	15	35	1 00
913	<i>Narcissus pseudo-narcissus</i> , L. . . . .			

**Dioscoreaceæ.**

914	<i>Dioscorea villosa</i> , L. . . . .	25	50	
-----	---------------------------------------	----	----	--

**Liliaceæ.**

915	<i>Smilax herbacea</i> , L. . . . .	30	75	
916	<i>rotundifolia</i> , L. . . . .	25	50	
917	<i>glauca</i> , Walt. . . . .	25	50	
918	<i>hispida</i> , Muhl. . . . .	25	50	
919	<i>Allium</i> , <i>tricoccum</i> , Ait. . . . .			
920	<i>Shœnoprasum</i> , L. . . . .	25	50	
921	<i>cernuum</i> , Roth, . . . . .	20	40	2 00
922	<i>vineale</i> , L. . . . .			
923	<i>Canadense</i> , Kalm. . . . .			
924	<i>Ornithogalum umbellatum</i> , L. . . . .	15	35	1 00
925	<i>Muscari botryoides</i> , Mill. . . . .	15	35	2 00
926	<i>Hemorocallis fulva</i> , L. . . . .	15	35	1 00
927	<i>Convallaria majalis</i> , L. . . . .			
928	<i>Polygonatum biflorum</i> , Ell. . . . .	20	40	
929	<i>giganteum</i> , Dietrich . . . . .	30	75	
930	<i>Asparagus officinale</i> , L. . . . .	30	75	
931	<i>Smilacena racemosa</i> , Desf. . . . .	30	75	
932	<i>stellata</i> , Desf. . . . .	30	75	

Order by Name or Number.	Price Per 10	Per 100	Per 1000
933 <i>Maianthemum Canadense</i> , Desf.	15	30	1 00
934 <i>Uvularia perfoliata</i> , L. . . . .	15	30	1 00
935 <i>Oakesia sessilifolia</i> , Watson . .	15	30	1 00
936 <i>Erythronium Americanum</i> , Ker.	15	30	1 00
937 <i>albidum</i> , Nutt. . . . .			
938 <i>Lilium Philadelphicum</i> , L. . . .			
939 <i>superbum</i> , L. . . . .	25	60	5 00
940 <i>Canadense</i> , L. . . . .	25	60	5 00
941 <i>tigrinum</i> , Ker. . . . .			
942 <i>Medeola Virginiana</i> , L. . . . .	15	35	2 50
943 <i>Trillium grandiflorum</i> , Salisb. .	15	35	2 50
944 <i>cernuum</i> , L. . . . .	15	35	2 50
945 <i>erectum</i> , L. . . . .	15	35	2 50
946 <i>Chamælrirum Carolinianum</i>			
<i>Willd.</i> . . . .	25	60	5 00
947 <i>Melanthium Virginicum</i> , L. . .	25	60	
948 <i>Veratrum viride</i> , Ait. . . . .	25	60	
949 <i>Stenanthium angustifolium</i> , Gray	30		
950 <i>Amianthium muscætoxicum</i> , "	30	1 00	7 00

**Pontederiaceæ.**

951 <i>Pontederia Cordata</i> , L. . . . .	30	1 00	
952 <i>Heteranthera reniformis</i> , Ruis.			
& Pav. . . . .	30	1 00	
952½ <i>graminea</i> , Vahl.			

**Xyridaceæ.**

953 <i>Xyris flexuosa</i> , Muhl. . . . .	15	35	2 00
---	----	----	------

**Commelinaceæ.**

954 <i>Commelina erecta</i> , L. . . . .	15	30	2 00
955 <i>Virginica</i> , L. . . . .	15	30	2 00
956 <i>Tradescantea Virginica</i> , L. . .	15	30	2 00

**Juncaceæ.**

a937 <i>Juncus effusus</i> , L. . . . .			
a938 <i>Var. conglomeratus</i> ,			
Engelm. . . . .			
a939 <i>Balticus</i> , Dethard . . . .			
a940 <i>marginatus</i> , Rostk. . . .			
a941 <i>bufonius</i> , L. . . . .			
a942 <i>tenuis</i> , Willd. . . . .			
a943 <i>Var. secundus</i> , Englm.			
a944 <i>acuminatus</i> , Michx., var.			
<i>debilis</i> , Englm. . . . .			
a945 <i>Var. legitimus</i> , Engl.			
a946 <i>Var. fraternus</i> , "			
a947 <i>nodosus</i> , L. . . . .			
a948 <i>scirpoides</i> , Lam., var.			
<i>macrostemon</i> , Engel.			
a949 <i>Canadensis</i> , J. Gay., var.			
<i>longicaudatus</i> , Engelm.			
a950 <i>Var. subcaudatus</i> , Engl			
a951 <i>Var. brachycephalus</i> , "			
a952 <i>Luzula vernalis</i> , DC. . . . .			
a953 <i>campestris</i> , DC. . . . .			

**Typhaceæ.**

a954 <i>Typha latifolia</i> , L. . . . .	25	60	4 00
a955 <i>angustifolia</i> , L. . . . .	25	60	4 00
a956 <i>Sparganium eurycarpum</i> , Engl.			
957 <i>simplex</i> , Hudson,			
var. <i>Nuttallii</i> .			
Gray . . . . .			
958 <i>Var. Andracladum</i>			
Gray . . . . .			

**Araceæ.**

959 <i>Arisæma triphyllum</i> , Torr. . .	15	35	2 50
960 <i>Dracontium</i> , Schott. . .	25	50	3 00
961 <i>Symplocarpus foetidus</i> , Salisb,	25	50	3 00
962 <i>Orontium aquaticum</i> , L. . . . .			
963 <i>Acorus Calamus</i> , L. . . . .	15	35	2 00

**Lemnaceæ.**

964 <i>Lemna trisulca</i> , L. . . . .			
965 <i>Minor</i> L. . . . .			
966 <i>Spirodella polyrrhiza</i> , Schleid.			



**Alismaceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
967 <i>Alisma Plantago</i> , L. var. <i>Americanum</i> , Gray . . .			
968 <i>Sagittaria variabilis</i> , Engelm.			
969 <i>heterophylla</i> , Pursh			

**Naiadaceæ.**

970 <i>Potamogeton natans</i> , L. . . .			
971 <i>Pennsylvanicus</i> , Cham. . . .			
972 <i>hybridus</i> , Michx.			
973 <i>fluitans</i> , Roth. . . .			
974 <i>gramineus</i> , L. . . .			
975 <i>perfoliatus</i> , L. . . .			
976 <i>crispus</i> , L. . . .			
977 <i>compressus</i> , L. . . .			
978 <i>obtusifolius</i> , Mertens & Koch . . .			
979 <i>pauciflorus</i> , Pursh			
980 <i>pusillus</i> , L. . . .			
981 <i>pectinatus</i> , L. . . .			
982 <i>Robinsii</i> , Oakes . . .			
983 <i>Najas flexilis</i> , All. . . . .			

**Cyperiferæ.**

984 <i>Cyperus flavescens</i> , L. . . . .			
985 <i>diandrus</i> , Torr. . . . .			
986 <i>aristatus</i> , Rottb. . . . .			
987 <i>dentatus</i> , Torr. . . . .			
988 <i>esculentus</i> , L. . . . .			
989 <i>strigosus</i> , L. . . . .			
990 <i>filiculmis</i> , Vahl. . . . .			
991 <i>Lancastriensis</i> , <sup>st</sup> Porter			
992 <i>ovularis</i> , Torr. . . . .			
992½ <i>virens</i> , Michx. <sup>1st</sup> . . . .			
993 <i>Dulichium spathaceum</i> , Pers.			
994 <i>Eleocharis ovata</i> , R. Br. . . .			
995 <i>palustris</i> , R. Br. . . . .			
996 <i>intermedia</i> , Schultes			
997 <i>tenuis</i> , " . . . .			
998 <i>acicularis</i> , R. Br. . . . .			
999 <i>Scirpus planifolius</i> , Muhl. . . .			
1000 <i>pungens</i> , Vahl. . . . .			
1001 <i>lacustris</i> , L. . . . .			
1002 <i>debilis</i> , Pursh. . . . .			
1003 <i>fluviatilis</i> , Gray, . . . .			
1004 <i>atrovirens</i> , Muhl. . . . .			
1005 <i>polyphyllus</i> , Vahl, . . . .			
1006 <i>Eriophorum cyperinum</i> , L. . . .			
1007 <i>Virginicum</i> , L. . . . .			
1008 <i>Rhynchospora cymosa</i> , Nutt. . .			
1009 <i>alba</i> , Vahl. . . . .			
1010 <i>capillaceæ</i> , Torr.			
1011 <i>glomerata</i> , Vahl.			
1012 <i>Cladium mariscoides</i> , Torr. . . .			
1013 <i>Scleria triglomerata</i> , Michx. . .			
1014 <i>Torryana</i> , Walpers . . . .			
1015 <i>pauciflora</i> , Muhl. . . . .			
1016 <i>verticillata</i> , Muhl. . . . .			
1017 <i>Fimbristylis laxa</i> , Vahl. . . . .			
1018 <i>autumnalis</i> , Roem & Schult. . . . .			
1019 <i>capillaris</i> , Gray, . . . .			
1020 <i>Carex aquatilis</i> , Wahl. . . . .			
1021 <i>Backii</i> , Boott. . . . .			
1022 <i>cephaloidea</i> , Dewey, . . . .			
1023 <i>cephalophora</i> , Muhl. . . . .			
1024 <i>conoidea</i> , Schkuhr. . . . .			
1025 <i>comosa</i> , Boott. . . . .			
1026 <i>crinita</i> , Lam. . . . .			
1027 <i>cristata</i> , Schwein, . . . .			
1028 <i>bromoides</i> , " . . . .			
1029 <i>bullata</i> , " . . . .			
1030 <i>Davisii</i> , Schwein & Torr.			
1031 <i>debilis</i> , Michx., var. <i>Rudgei</i> , Bailey . . . .			
1032 <i>Var. pubera</i> , Gray . . . .			
1033 <i>digitalis</i> , Willd. . . . .			

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1034 <i>Carex folliculata</i> , L. . . . .			
1035 <i>fusca</i> , All. . . . .			
1036 <i>gracillima</i> , Schwein. . . . .			
1037 <i>granularis</i> , Muhl. . . . .			
1038 <i>grisea</i> , Wahl. . . . .			
1039 <i>glaucodea</i> , Tuckerm. . . . .			
1040 <i>Hitchcockiana</i> , Dewey . . . . .			
1041 <i>glabra</i> , Boott. . . . .			
1042 <i>lupulina</i> , Muhl. . . . .			
1043 <i>lurida</i> , Wahl. . . . .			
1044 <i>laxiculmis</i> , Schwein. . . . .			
1045 <i>laxiflora</i> , Lam. . . . .			
1046 <i>Var. blanda</i> , Boott. . . . .			
1047 <i>" latifolia</i> , " . . . . .			
1048 <i>" patulifolia</i> , Carey . . . . .			
1049 <i>" striatula</i> , " . . . . .			
1050 <i>" styloflexa</i> , Boott. . . . .			
1051 <i>lanuginosa</i> , Michx. . . . .			
1052 <i>intumescens</i> , Rudge . . . . .			
1053 <i>communis</i> , Bailey . . . . .			
1054 <i>foenia</i> , Willd. . . . .			
1055 <i>prasina</i> , Wahl. . . . .			
1056 <i>torta</i> , Boott. . . . .			
1057 <i>monile</i> , Tuckerm. . . . .			
1058 <i>hystricina</i> , Muhl. . . . .			
1059 <i>squarrosa</i> , L. . . . .			
1060 <i>scabrata</i> , Schwein . . . . .			
1061 <i>vestita</i> , Willd. . . . .			
1062 <i>stricta</i> , Lam. . . . .			
1063 <i>Var. strictior</i> , Boott. . . . .			
1064 <i>virescens</i> , Muhl. . . . .			
1065 <i>Var. Costata</i> , Dewey . . . . .			
1066 <i>triceps</i> , Michx., <i>var. hirsuta</i> , Bailey . . . . .			
1067 <i>Var. Smithii</i> , Porter . . . . .			
1068 <i>arctata</i> , Boott. . . . .			
1069 <i>oligocarpa</i> , Schkuhr. . . . .			
1070 <i>platyphylla</i> , Carey . . . . .			
1071 <i>pedunculata</i> , Muhl. . . . .			
1072 <i>varia</i> , Muhl. . . . .			
1073 <i>Novæ-Angliæ</i> , Schw. . . . .			
1074 <i>Pennsylvanica</i> , Lam. . . . .			
1075 <i>umbellata</i> , Schkuhr. . . . .			
1076 <i>pubescens</i> , Muhl. . . . .			
1077 <i>Jamesii</i> , Schwein. . . . .			
1078 <i>polytrichoides</i> , Muhl. . . . .			
1079 <i>polymorpha</i> , Muhl. . . . .			
1080 <i>stipata</i> , Muhl. . . . .			
1081 <i>teretiuscula</i> , Good., <i>var. major</i> , Koch. . . . .			
1082 <i>vulpinoidea</i> , Michx. . . . .			
1082½ <i>trichocarpa</i> , Muhl. . . . .			
1083 <i>rosea</i> , Schkuhr. . . . .			
1084 <i>retroflava</i> , Muhl. . . . .			
1085 <i>sparganioides</i> , Muhl. . . . .			
1086 <i>Muhlenbergii</i> , Schkuhr. . . . .			
1087 <i>echnata</i> , Murray, <i>var. cephalantha</i> , Bailey . . . . .			
1088 <i>Var. microstachys</i> , Boeckl. . . . .			
1089 <i>tribuloides</i> , Wahl. . . . .			
1090 <i>scoparia</i> , Schkuhr. . . . .			
1091 <i>straminea</i> , Willd. . . . .			
1092 <i>Var. brevior</i> , Dewey . . . . .			
1093 <i>" aperta</i> , Boott. . . . .			
1094 <i>Wildenovii</i> , Schkuhr. . . . .			

Fifty species of this order will be carefully selected true to name and packed in damp moss, etc., for \$2.00

#### Gramineæ.

1095	<i>Spartina cynosuroides</i> , Willd.
1096	<i>Paspalum setaceum</i> , Michx. . . . .
1097	<i>leve</i> , Michx. . . . .
1098	<i>Panicum filiforme</i> , L. . . . .
1099	<i>glabrum</i> , Gaudin. . . . .
1100	<i>sanguinale</i> , L. . . . .
1101	<i>proliferum</i> , Lam. . . . .
1102	<i>capillare</i> , L. . . . .

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
1103	<i>Panicum anceps</i> , Michx.			
1104	<i>agrostoides</i> , Muhl.			
1105	<i>virgatum</i> , L.			
1106	<i>latifolium</i> , L.			
1107	<i>clandestinium</i> , L.			
1108	<i>microcarpon</i> , Muhl.			
1109	<i>depauperatum</i> , Muhl.			
1110	<i>dichotomum</i> , L.			
1111	<i>scoparium</i> , Lam.			
1112	<i>Crus-galli</i> , L.			
1113	<i>Setaria verticillata</i> , Beauv.			
1114	<i>glauc</i> a, Beauv.			
1115	<i>viridis</i> , Beauv.			
1116	<i>Italica</i> , Runth.			
1117	<i>Cenchrus tribuloides</i> , L.			
1118	<i>Leersia oryzoides</i> , Swartz.			
1119	<i>Virginica</i> , Willd.			
1120	<i>Zizania aquatica</i> , L.			
1121	<i>Tripsacum dactyloides</i> , L.			
1122	<i>Andropogon, furcatus</i> , Muhl.			
1123	<i>scoparius</i> , Michx.			
1124	<i>Virginicum</i> , L.			
1125	<i>Chrysopogon nutans</i> , Benth.			
1126	<i>Phalaris Canariensis</i> , L.			
1127	<i>arundinacea</i> , L.			
1128	<i>Anthoxanthum odoratum</i> , L.			
1129	<i>Aristida dichotoma</i> , Michx.			
1130	<i>gracilis</i> , Ell.			
1131	<i>purpuascens</i> , Poir.			
1132	<i>Stipa avenacea</i> , L.			
1133	<i>Oryzopsis melanocarpa</i> , Muhl.			
1134	<i>Muhlenbergia sobolifera</i> , Trin.			
1135	<i>glomerata</i> , Trin.			
1136	<i>Mexicana</i> , Trin.			
1137	<i>sylvatica</i> , T.&G.			
1138	<i>Willdenovii</i> , Trin.			
1139	<i>diffusa</i> , Schreb'r			
1140	<i>capillaris</i> , Kunth.			
1141	<i>Brachylytrum aristatum</i> , Beauv.			
1142	<i>Heleochoa schoenoides</i> , Host.			
1143	<i>Phleum pratense</i> , L.			
1144	<i>Alopecurus pratensis</i> , L.			
1145	<i>Agrostis alba</i> , L.			
1146	<i>vulgaris</i> , Thurb.			
1147	<i>perennans</i> , Tuckerm.			
1148	<i>scabra</i> , Willd.			
1149	<i>Cinna arundinacea</i> , L.			
1150	<i>Calamagrostis Canadensis</i> , Beauv.			
1151	<i>Nuttalliana</i> , Steud.			
1152	<i>Arrhenatherum avenaceum</i> , Beauv.			
1153	<i>Holcus lanatus</i> , L.			
1154	<i>Deschampsia flexuosa</i> , Trin.			
1155	<i>cæspitosa</i> , Beauv.			
1156	<i>Trisetum palustre</i> , Torr.			
1157	<i>Danthonia Spicata</i> , Beauv.			
1158	<i>Bouteloua racemosa</i> , Lag.			
1159	<i>Eleusine Indica</i> , Gærtn.			
1160	<i>Triodea cuprea</i> , Jacq.			
1161	<i>Eatonia obtusata</i> , Gray.			
1162	<i>Pennsylvanica</i> , Gray			
1163	<i>Eragrostis reptans</i> , Nees.			
1164	<i>minor</i> , Host.			
1165	<i>pilosa</i> , Beauv.			
1166	<i>Frankii</i> , Meyer.			
1167	<i>capillaris</i> , Nees.			
1168	<i>pectinacea</i> , Gray.			
1169	<i>Melica diffusa</i> , Pursh.			
1170	<i>Uniola latifolia</i> , Michx.			
1171	<i>Dactylis glomerata</i> , L.			
1172	<i>Poa annua</i> , L.			
1173	<i>compressa</i> , L.			
1174	<i>pratensis</i> , L.			
1175	<i>sylvestris</i> , Gray.			
1176	<i>alsodes</i> , Gray.			
1177	<i>brevifolia</i> , Muhl.			
1178	<i>serotina</i> , Ehrhart.			
1179	<i>Glyceria Canadensis</i> , Trin.			
1180	<i>elongata</i> , Trin.			

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1181 <i>Glyceria nervata</i> , Trin. . . . .			
1182 <i>fluitans</i> , R. Br. . . . .			
1183 <i>Festuca tenella</i> , Willd. . . . .			
1184 <i>Myurus</i> , L. . . . .			
1185 <i>elatior</i> , L. . . . .			
1186 <i>pratensis</i> , Huds. . . . .			
1187 <i>nutans</i> , Willd. . . . .			
1188 <i>Bromus secalinus</i> , L. . . . .			
1189 <i>racemosus</i> , L. . . . .			
1190 <i>ciliatus</i> , L. . . . .			
1191 <i>sterilis</i> , L. . . . .			
1192 <i>Lolium perenne</i> , L. . . . .			
1193 <i>Agropyrum repens</i> , Beauv. . . . .			
1194 <i>Elymus Virginicus</i> , L. . . . .			
1195 <i>Canadensis</i> , L. . . . .			
1196        Var. <i>glaucifolius</i> , Gray.			
1197 <i>striatus</i> , Willd. . . . .			
1198 <i>Asprella Hystrix</i> , Willd. . . . .			
1199 <i>Dactyloctenium Ægyptiacum</i> , Willd. . . . .			

Forty perennial species of this order will be carefully selected true to name and packed in damp moss, etc. for \$2.00.

#### **Equisetaceæ.**

1200 <i>Equisetum arvense</i> , L. . . . .	15	35	2 00
1201        Var. <i>serotinum</i> . Meyer . . . . .			
1202 <i>sylvaticum</i> , L. . . . .	15	35	2 00
1203 <i>hyemale</i> , L. . . . .			

#### **Filices.--Ferns.**

1204 <i>Polypodium vulgare</i> , L. . . . .	20	35	2 50
1205 <i>Adiantum pedatum</i> , L. . . . .	20	35	2 50
1206 <i>Pteris aquilina</i> , L. . . . .	20	35	2 50
1207 <i>Cheilanthes vestita</i> , Swartz. . . . .	20	35	2 50
1208 <i>Pellæa atropurpurea</i> , Link. . . . .			
1209 <i>Asplenium pinnatifidum</i> , Nutt. . . . .	25	50	
1210 <i>trichomanes</i> , L. . . . .	15	35	2 00
1211 <i>ebeneum</i> , Ait. . . . .	15	35	2 00
1212 <i>montanum</i> , Willd. . . . .	25	50	
1213 <i>Rita-muraria</i> , L. . . . .			
1214 <i>angustifolium</i> , Mx. . . . .	25	50	3 00
1215 <i>thelypteroides</i> , Mx. . . . .	20	50	3 00
1216 <i>Filix foemina</i> , Bernh. . . . .	20	50	3 00
1217 <i>Camptosorus rhizophyllus</i> , Link. . . . .	20	50	3 00
1218 <i>Phegopteris hexagonoptera</i> , Fee. . . . .	15	35	2 00
1219 <i>Dryopteris</i> , Fee. . . . .	15	35	2 00
1220 <i>Aspidium thelypteris</i> , Swartz. . . . .	15	35	2 00
1221 <i>Noveboracense</i> , " . . . .	15	35	2 00
1222 <i>spinulosum</i> , Swartz var. <i>dilatatum</i> , Hook, Var. <i>intermedium</i> D. C. Eaton . . . . .	20	50	3 00
1224 <i>Bootii</i> . . . . .	15	35	2 00
1225 <i>cristatum</i> , Swartz. . . . .	30	1 00	
1226 <i>marginale</i> , Swartz. . . . .	20	50	2 00
1227 <i>acrostichoides</i> , Swtz. . . . .	20	50	2 50
1228 <i>Cystopteris bulbifera</i> , Bernh. . . . .			
1229 <i>fragilis</i> , Bernh. . . . .	15	35	1 50
1230 <i>Onoclea sensibilis</i> , L. . . . .	15	35	1 50
1231 <i>Struthiopteris</i> , Hoffm. . . . .	25	50	4 00
1232 <i>Woodsia obtusa</i> , Torr. . . . .			
1233 <i>Dicksonia pilosiuscula</i> , Willd. . . . .	15	35	2 00
1234 <i>Osmunda regalis</i> , L. . . . .	25	50	3 00
1235 <i>Claytonia</i> , L. . . . .	25	50	3 00
1236 <i>cinnamomea</i> , L. . . . .	25	50	3 00

#### **Ophioglossaceæ.**

1237 <i>Botrychium matricariæfolium</i> , Braun. . . . .			
1238 <i>Virginianum</i> , Swtz ternatum. . . . .	20	40	2 50
1239        Var. <i>obliquum</i> , Gray. . . . .	30	60	
1240        Var. <i>dissectum</i> , Gray . . . . .	30	60	
1241 <i>Ophioglossum vulgatum</i> , L. . . . .			



**Lycopodiaceæ.**

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1242 <i>Lycopodium lucidulum</i> , Mchx.	20	40	3 00
1243 <i>obscurum</i> , L. . . .	20	40	3 00
1244 <i>clavatum</i> , L. . . .			
1245 <i>complanatum</i> , L.	20	40	3 00

**Selaginellaceæ.**

1246 <i>Selaginella rupestris</i> , Spreng. .	15	30	2 00
1247 <i>apus</i> , Spreng. . . .	15	30	2 00
1248 <i>Isoetes Englemanni</i> , Braun. .			
1248½ <i>Var. valida</i> , Engelm.			

**Jungermanniaceæ.**

1249 <i>Frullania Asagrayana</i> , Mont. .			
1250 <i>Virginica</i> , Lehm. . . .			
1251 <i>Eboracensis</i> , Lehm. . .			
1252 <i>æolotis</i> , Nees. . . . .			
1253 <i>Lejeunea clypeata</i> , Lchweinitz			
1254 <i>cucullata</i> , Nees, . . .			
1255 <i>Porella pinnata</i> , L. . . . .			
1256 <i>platyphylla</i> , Lindl. . . .			
1257 <i>Ptilidium ciliare</i> , Nees. . . . .			
1258 <i>Trichocolea tomentella</i> , Nees.			
1259 <i>Bazzania trilobata</i> , S. F. Gray,			
1260 <i>Cephalozia curvifolia</i> , Dumort,			
1261 <i>Scapania nemorosa</i> , Nees. . . .			
1262 <i>Lophocolea bidendata</i> , Nees. .			
1263 <i>Jungermannia Schraderi</i> , Mar-			
<i>tius</i> . . . . .			
1264 <i>Metzgeria furcata</i> , Nees. . . . .			
1265 <i>Plagiochila porelloides</i> , Linden.			
1266 <i>asplenoides</i> , Nees,			
& Mont. . . . .			
1266½ <i>Pallavicinia Lyellii</i> , S. F. Gray			

**Anthocerotaceæ.**

1267 <i>Anthoceros lævis</i> , L. . . . .			
---	--	--	--

**Marchantiaceæ.**

1268 <i>Marchantia polymorpha</i> , L. . . .			
1269 <i>Fimbriaria tenella</i> , Nees. . . . .			
1270 <i>Grimaldia barbifrons</i> , Bisch. .			
1271 <i>Asterella hemisphærica</i> , Beauv.			
1272 <i>Conocephalus conicus</i> , Dumort,			

**Ricciaceæ.**


1273 <i>Riccia fluitans</i> , L. . . . .			
1274 <i>Natans</i> , L. . . . .			
1275 <i>glauca</i> , L. . . . .			

**Musci.--Mosses.**

1276 <i>Sphagnum cymbifolium</i> , Ehrh.			
1277 <i>acutifolium</i> . . . . .			
1278 <i>Archidium Ohioense</i> , Scheimp.			
1279 <i>Phascum crassinervium</i> , Sch'gr			
1280 <i>Wessia viridula</i> , Brid. . . . .			
1281 <i>Dicranum scoparium</i> , Hewd. .			
1282 <i>undulatum</i> , Turner			
1283 <i>varius</i> , Hedw. . . . .			
1284 <i>Schreberi</i> , Hedw. .			
1285 <i>heteromallum</i> , Hedw.			
1286 <i>rufescens</i> , Turner. .			
1287 <i>Ceratodon purpureus</i> , Bridel.			
1288 <i>Leucobryum minus</i> , Hampe. .			
1289 <i>glaucum</i> , " . . . .			
1290 <i>Fissidens minutulus</i> , Sulliv. .			
1291 <i>adiantoides</i> , Hedw.			
1292 <i>Conomintrium Julianum</i> , Mont.			
1293 <i>Trichostomum tortile</i> , Schred.			
1294 <i>pallidum</i> , Hedw.			
1295 <i>Barbula unguiculata</i> , Hedw. .			
1296 <i>cæspitosa</i> , Schwægr. .			
1297 <i>Desmatodon plinthobius</i> , . . . .			
1298 <i>Tetraphis pellucida</i> , Hedw. . .			
1299 <i>Encalypta streptocarpa</i> , Hedw.			
1300 <i>Zygodon lapponicus</i> , Br. & Sch,			
1301 <i>Drummondia clavellata</i> , Hook.			

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
1302	<i>Orthotrichum cupulatum</i> , Hoffm.			
1303	<i>anomalum</i> , Hedw.			
1304	<i>strangulatum</i> , Beauv.			
1305	<i>Canadense</i> , Br. & Sch.			
1306	<i>Hutchinsiae</i> , Smith.			
1307	<i>crisgum</i> , Hedw.			
1308	<i>crispulum</i> , Hornsch.			
1309	<i>Schistidium apocarpum</i> , Br. & Sch.			
1310	<i>confertum</i> , "			
1311	<i>Grimmia Pennsylvanica</i> , Schw.			
1312	<i>Hedwigia ciliata</i> , Hedw. . . .			
1313	<i>Diphyscium foliosum</i> , W. & M.			
1314	<i>Atrichum undulatum</i> , Beauv. .			
1315	<i>angustatum</i> , "			
1316	<i>Pogonatum brevicale</i> , Brid. .			
1317	<i>Popytrichum commune</i> , L. . .			
1318	<i>formosum</i> , Hedw.			
1319	<i>Timmia megapolitana</i> , Hedw.			
1320	<i>Aulacomnion heterostichum</i> , Br. & Sch.			
1321	<i>palustre</i> , Schw. .			
1322	<i>Bryum pyriforme</i> , Hewd. . .			
1323	<i>crudum</i> , Schreb. . .			
1324	<i>nutans</i> , Schreb. . . .			
1325	<i>roseum</i> , Sch. . . . .			
1326	<i>argenteum</i> , L. . . . .			
1327	<i>bimum</i> , Sch. . . . .			
1328	<i>intermedium</i> , Brid. .			
1329	<i>Cæspitium</i> , L. . . . .			
1330	<i>cirrhatum</i> , Hoffe & Horn.			
1331	<i>Mnium affine</i> , Bland. . . . .			
1332	<i>hornum</i> , Hedw. . . .			
1333	<i>lycopodioides</i> , Hook. .			
1334	<i>punctatum</i> , Hewd. . .			
1335	<i>serratum</i> , Brid. . . .			
1336	<i>cuspidatum</i> , Hewd. . .			
1337	<i>Bartramia pomiformis</i> , Hewd.			
1338	<i>fontana</i> , Brid. . . .			
1339	<i>Funaria hygrometrica</i> , Hewd.			
1340	<i>Physcomitrium</i> , Hewd.			
1341	<i>Aphanorhegma serrata</i> , Sulliv.			
1342	<i>Fontinalis atipyretica</i> , L. var.			
	<i>gigantea</i> , Sulliv. .			
1343	<i>dalecarlica</i> , Bry. Eur.			
1344	<i>Leucodon julaceus</i> , Sulliv. . .			
1345	<i>Leptodon trichomitron</i> , Mohr.			
1346	<i>Anomodon attenuatus</i> , Hub. .			
1347	<i>tristis</i> , Cesati. . . .			
1348	<i>Lesker polycarpa</i> , Hedw. . .			
1349	<i>obscura</i> , Hedw. . . .			
1350	<i>rostrata</i> , Hedw. . . .			
1351	<i>Thelia hirtella</i> , Sulliv. . . .			
1352	<i>Myurella Careyana</i> , Sulliv. . .			
1353	<i>Pylaisea intricata</i> , Bry., Eur. .			
1354	<i>Homalothecium subcapillatum</i> ,			
	Bry. Eur. .			
1355	<i>Platygerium repens</i> , Bry., Eur.			
1356	<i>Cylindrothecium cladorrhizans</i> ,			
	Bry., Eur. .			
1357	<i>seductrix</i> , Bry., Eur.			
1358	<i>Neckera pennata</i> , Hedw. . . .			
1359	<i>Climacium Americanum</i> , Brid.			
1360	<i>Hypnum tamariscinum</i> , Hedw.			
1361	<i>paludosum</i> , Sulliv. .			
1362	<i>triquetrum</i> , L. . . . .			
1363	<i>brevirostre</i> , Ehrl. . . .			
1364	<i>splendens</i> , Hedw. . . .			
1365	<i>Alleghaniense</i> , C. Muhl.			
1366	<i>hians</i> , Hedw. . . . .			
1367	<i>Sullivantii</i> , Spruce. .			
1368	<i>strigosum</i> , Hoffm. . . .			
1369	<i>Boscii</i> , Sch. . . . .			
1370	<i>serrulatum</i> , Hedw. . .			
1371	<i>rusciforme</i> , Weis. . .			
1372	<i>recurvans</i> , Sch. . . . .			
1373	<i>giganteum</i> , Schimp. .			
1374	<i>cuspidatum</i> , Sch., Willd.			
1375	<i>cordifolium</i> , Hedw. .			
1376	<i>aduncum</i> , Hedw. . . .			

Order by Name or Number		Price Per 10	Per 100	Per 1000
1377	<i>Hypnum filicinum</i> , L. . . . .			
1378	<i>crista-castrensis</i> , L. . . . .			
1379	<i>molluscum</i> , Hedw. . . . .			
1380	<i>imponens</i> , Hedw. . . . .			
1381	<i>curvifolium</i> , Hedw. . . . .			
1382	<i>pratense</i> , Koch. . . . .			
1383	<i>rugosum</i> , Ehr. . . . .			
1384	<i>salebrosum</i> , Hoffm. . . . .			
1385	<i>lætum</i> , Brid. . . . .			
1386	<i>rutabulum</i> , L. . . . .			
1387	<i>plumosum</i> , L. . . . .			
1388	<i>stellatum</i> , Schreb. . . . .			
1389	<i>polymorphum</i> , Bry Eur. . . . .			
1390	<i>hispidulum</i> , Brid. . . . .			
1391	<i>minutissimum</i> , Sulliv. . . . .			
	& Lesqx. . . . .			
1392	<i>adnatum</i> , Hedw. . . . .			
1393	<i>serpens</i> , Hedw. . . . .			
1394	<i>radicale</i> , Brid. . . . .			
1395	<i>orthocladon</i> , Beauv. . . . .			
1396	<i>noterophyllum</i> , Sulliv. . . . .			
	& Lesqx. . . . .			
1397	<i>riparium</i> , Hedw. . . . .			
1398	<i>lescurii</i> , Sulliv. . . . .			
1399	<i>denticulatum</i> , L. . . . .			









*List of New...*

*... and Second Hand*

Books, Pamphlets,  
Price Lists, . . . .  
Documents, Etc.,

*For Sale and exchange by...*

JAMES GALEN,

*Bethesda, Lancaster Co., Pa.*

Order by Name or Number.

1	Agricultural Report of Pennsylvania for 1887, . . .	\$ 50
2	" " " " " 1888, . . .	50
3	The United States and Spain in 1790, . . . . .	25
4	General Orders of Major General Heath, . . . . .	30
5	Political History of the U. S., . . . . .	50
6	The spurious Letters attributed to Washington, . .	50
7	The Monist, No. I, . . . . .	10
8	Washington as an Employer and Importer of Labor, .	25
9	Agricultural Report of Pa. for 1886, . . . . .	50
10	" " " " " 1890, . . . . .	50
11	The Federal City, fair condition, . . . . .	10
12	Miner's Bee Keepers' Manual, with autograph of Hon. John Strohm, . . . . .	50
13	Conkling's Handy Manual of Useful Information, .	25
14	Helen's Babies, . . . . .	20
15	Webster's Unabridged Dictionary, . . . . .	I 00
16	The Press of North Carolina in the 18th Century .	15
17	The Washington-Duche Letters, . . . . .	10
18	Reply of Wm. Lee to Silas Deane, 1779, . . . . .	10
19	The Big Value Premium Budget, . . . . .	10
20	Isaac C. Martindale's Collection U. S. and Foreign Stamps, . . . . .	25
21	Observations on the Declaration of Independence, .	05



22	The 1893 Philadelphia Record Almanac, . . . . .	\$ 10
23	W. Selschopp & Co.'s Price-List of Stamps, Etc., for 1896, . . . . .	05
24	The Boston Medical and Surgical Journal, numbers 1 to 25, inclusive, of Vol XCII, . . . . .	1 00
25	Musser's Scriptural Representation of the Church, . . . . .	10
26	The Evolutionist At Large, . . . . .	10
27	Bear's Almanac for 1895, . . . . .	05
28	John Calvin, and the Errors of Presbyterianism, . . . . .	15
29	Earth, Plants and Man, Fair condition, . . . . .	25
30	State Book of Pa., . . . . .	25
31	Andrews and Stoddard's Latin Grammar, . . . . .	25
32	" Latin Exercises, . . . . .	25
33	Davie's Geometry and Trigonometry, fair, . . . . .	25
34	Gough's Arithmetic, 1784, . . . . .	40
35	Religious Ceremonies, . . . . .	50
36	Elements of Astronomy, by Davis, . . . . .	40
37	Botany—Ketchum, . . . . .	40
38	First Steps in Scientific Knowledge, . . . . .	50
39	Macloskie's Botany, . . . . .	50
40	Practical Botany, by Koehler, . . . . .	75
41	The World Almanac for 1893, . . . . .	25
42	" " " " 1895, . . . . .	25
43	" " " " 1896, . . . . .	25



# Quilt Patterns,

---

One for 5c, three for 10c, ten for 25c. Puzzle designs.

No. 25, Pullman Puzzle.

“ 26, Devil's Puzzle.

“ 27, Oldmaid's Puzzle.

“ 28, Dutchman's Puzzle.

“ 29, Irish Puzzle.

“ 30, Yankee Puzzle.

“ 31, Fool's Puzzle.

“ 32, World's Fair Puzzle.

“ 33, Columbia Puzzle.

“ 34, Washington's Puzzle.

List of 217 designs sent free; will exchange for designs.

Address :

**JAMES GALEN,**

Lancaster Co. Bethesda, Pa.


OPIMUM,  
MORPHINE, TOBACCO  
AND WHISKEY  
HABIT

Cured without suffering. A specialty for 10 years; hundreds cured, treatment original and private. Free from Opium, Bromides, Coaine, etc. No shock, no suffering; all desire stopped. No fee until cured.

Endorsed by eminent physicians, method entirely different from all others. Write for information and reference.

Write your case plain and send 16cts. stamps for 10 days treatment.

DR. J.F. ROUGHTON & Co.,  
American Dispensary, 554  
Decatur St., ATLANTA, Ga.

 To Physicians Free.



**NEWSPAPER CLIPPINGS**  
—OF—  
**CLASSIFIED RECIPES.**

Put up in packets of 25 to 100 different formulas. Price 5c to 10c per packet. List free. Clippings of History, Science, Biography, Puzzles, etc., for sale or exchange.

Address

**JAMES GALEN**  
**BETHESDA - - - PA.**

THE

LIBRARY

OF THE

UNIVERSITY OF

CHICAGO

1891

1891

1891

1891

1891

